

=> fil reg

FILE 'REGISTRY' ENTERED AT 13:59:22 ON 08 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7
DICTIONARY FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d ide can l4

L4 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN
RN 161384-17-4 REGISTRY
CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)
OTHER NAMES:
CN Matrix metalloprotease 14
CN Matrix metalloproteinase 14
CN Matrix metalloproteinase MT 1
CN Matrix metalloproteinase MT-MMP-1
CN Matrix metalloproteinase MT1-MMP
CN Membrane type 1 matrix metalloproteinase
CN Membrane type-1 matrix metalloprotease
CN Membrane-type matrix metalloprotease 1
CN Membrane-type matrix metalloproteinase 1
CN Membrane-type matrix metalloproteinase MT1-MMP
CN Membrane-type metalloproteinase MT1-MMP
CN MMP-14
CN MT-MMP1
CN MT1-MMP
MF Unspecified
CI MAN
SR CA
LC STN Files: AGRICOLA, BIOSIS, CA, CAPLUS, CIN, TOXCENTER, USPAT2,
USPATFULL
DT.CA Caplus document type: Conference; Dissertation; Journal; Patent
RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);
MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
(Process); PRP (Properties); USES (Uses)
RLD.P Roles for non-specific derivatives from patents: BIOL (Biological
study); USES (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP
(Preparation); PROC (Process); PRP (Properties); USES (Uses)
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological
study); PROC (Process); PRP (Properties)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

942 REFERENCES IN FILE CA (1907 TO DATE)

6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
951 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:389458
REFERENCE 2: 140:389388
REFERENCE 3: 140:389365
REFERENCE 4: 140:389134
REFERENCE 5: 140:386423
REFERENCE 6: 140:385874
REFERENCE 7: 140:373167
REFERENCE 8: 140:372965
REFERENCE 9: 140:372236
REFERENCE 10: 140:370800

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 13:59:32 ON 08 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Jun 2004 VOL 140 ISS 24
FILE LAST UPDATED: 7 Jun 2004 (20040607/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all hitstr tot 153

L53 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2003:864165 HCAPLUS
DN 140:57378
ED Entered STN: 05 Nov 2003
TI **Membrane type-1 matrix metalloproteinase (MT1-MMP) processing of pro- α v integrin regulates cross-talk between . α v β 3 and α 2 β 1 integrins in breast carcinoma cells**
AU **Baciu, Peter C.**; Suleiman, E. Aisha; Deryugina, Elena I.; Strongin, Alex Y.
CS **Allergan Inc.**, Irvine, CA, 2525, USA
SO Experimental Cell Research (2003), 291(1), 167-175

CODEN: ECREAL; ISSN: 0014-4827

PB Elsevier Science

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB We have recently demonstrated that in breast carcinoma MCF7 cells

MT1-MMP processes the α v, **.alpha**

.3, and α 5 **integrin** precursors generating the

resp. mature S-S-linked heavy and light α -chains. The

precursor of α 2 **integrin subunit** was

found resistant to **MT1-MMP** proteolysis. The

processing of the α v **subunit** by **MT1-**

MMP facilitated α v β 3-dependent adhesion,

activation of FAK signaling pathway, and migration of MCF7 cells on

vitronectin. To elucidate further the effects of **MT1-**

MMP on cellular **integrins**, we examined the functional

activity of α 5 β 1 and α 2 β 1

integrins in MCF7 cells expressing **MT1-MMP**.

Either expression of **MT1-MMP** alone or its coexpression

with α v β 3 failed to affect the functionality of .

alpha.5 β 1 integrin, and adhesion of cells to

fibronectin. **MT1-MMP**, however, profoundly affected

the cross-talk involving α v β 3 and **.alpha**

.2 β 1 **integrins**. In **MT1-MMP**-deficient

cells, **integrin** α v β 3 suppressed the

functional activity of the collagen-binding α 2 β 1

integrin receptor and diminished cell adhesion to type I collagen.

Co-expression of **MT1-MMP** with **integrin** .

alpha.v β 3 restored the functionality of **.alpha**

.2 β 1 **integrin** and, consequently, the ability of MCF7 cells

to adhere efficiently to collagen. We conclude that the **MT1-**

MMP-controlled cross-talk between α v β 3 and .

alpha.2 β 1 integrins supports binding of aggressive,

MT1-MMP-, and α v β 3 **integrin**

-expressing malignant cells on type I collagen, the most common substratum of the extracellular **matrix**.

ST MTMMP **integrin** cell adhesion migration breast carcinoma

IT Adhesion, biological

Cell proliferation

Extracellular **matrix**

Human

(**MT1-MMP** processing of pro- α v

integrin regulated cross-talk between α v β 3

and α 2 β 1 **integrins**, cell adhesion to

collagen and migration in human breast carcinoma)

IT Mammary gland, neoplasm

(carcinoma; **MT1-MMP** processing of pro-

α v **integrin** regulated cross-talk between

α v β 3 and α 2 β 1 **integrins**

, cell adhesion to collagen and migration in human breast carcinoma)

IT Cell migration

(invasion; **MT1-MMP** processing of pro-

α v **integrin** regulated cross-talk between

α v β 3 and α 2 β 1 **integrins**

, cell adhesion to collagen and migration in human breast carcinoma)

IT Collagens, biological studies

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(type I; **MT1-MMP** processing of pro- α

v **integrin** regulated cross-talk between α

v β 3 and α 2 β 1 **integrins**, cell

adhesion to collagen and migration in human breast carcinoma)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(α v, pro-; **MT1-MMP**
processing of pro- α v integrin
regulated cross-talk between α v.beta.3 and
 α 2 β 1 **integrins**, cell adhesion to collagen
and migration in human breast carcinoma)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α v.beta.3; **MT1-MMP**
processing of pro- α v integrin
regulated cross-talk between α v.beta.3 and
 α 2 β 1 **integrins**, cell adhesion to collagen
and migration in human breast carcinoma)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α 2 β 1; **MT1-MMP** processing of
pro- α v integrin regulated
cross-talk between α v.beta.3 and
 α 2 β 1 **integrins**, cell adhesion to collagen
and migration in human breast carcinoma)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α 5.beta.1; **MT1-MMP**
processing of pro- α v integrin
regulated cross-talk between α v.beta.3 and
 α 2 β 1 **integrins**, cell adhesion to collagen
and migration in human breast carcinoma)

IT **161384-17-4, Membrane type-1****matrix metalloproteinase**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MT1-MMP** processing of pro- α v
integrin regulated cross-talk between α v β 3
and α 2 β 1 **integrins**, cell adhesion to
collagen and migration in human breast carcinoma)

RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Belien, A; J Cell Biol 1999, V144, P373 HCAPLUS
- (2) Belkin, A; J Biol Chem 2001, V276, P18415 HCAPLUS
- (3) Berrier, A; J Cell Biol 2000, V151, P1549 HCAPLUS
- (4) Berthet, V; J Biol Chem 2000, V275, P33308 HCAPLUS
- (5) Chen, Y; J Biol Chem 1994, V269, P18307 HCAPLUS
- (6) Delwel, G; Biochem J 1997, V324(Pt 1), P263
- (7) Deryugina, E; Cancer Res 1998, V58, P3743 HCAPLUS
- (8) Deryugina, E; Exp Cell Res 2001, V263, P209 HCAPLUS
- (9) Deryugina, E; Int J Cancer 2000, V86, P15 HCAPLUS
- (10) Deryugina, E; Int J Cancer 2003, V104, P533 HCAPLUS
- (11) Deryugina, E; J Biol Chem 2002, V277, P9749 HCAPLUS
- (12) Diaz-Gonzalez, F; Mol Biol Cell 1996, V7, P1939 HCAPLUS
- (13) Emmert-Buck, M; FEBS Lett 1995, V364, P28 HCAPLUS
- (14) Galvez, B; J Biol Chem 2001, V276, P37491 HCAPLUS
- (15) Gilles, C; J Cell Sci 2001, V114(Pt 16), P2967 MEDLINE
- (16) Hiraoka, N; Cell 1998, V95, P365 HCAPLUS
- (17) Hornebeck, W; Semin Cancer Biol 2002, V12, P231 HCAPLUS
- (18) Hotary, K; J Cell Biol 2000, V149, P1309 HCAPLUS
- (19) Hotary, K; J Exp Med 2002, V195, P295 HCAPLUS
- (20) Kajita, M; J Cell Biol 2001, V153, P893 HCAPLUS
- (21) Laflamme, S; J Cell Biol 1994, V126, P1287 HCAPLUS
- (22) Lissitzky, J; Biochem J 2000, V346(Pt 1), P133
- (23) Ratnikov, B; J Biol Chem 2002, V277, P7377 HCAPLUS
- (24) Rozanov, D; J Biol Chem 2002, V277, P9318 HCAPLUS
- (25) Sato, H; FEBS Lett 1996, V385, P238 HCAPLUS
- (26) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS

IT **161384-17-4, Membrane type-1**
matrix metalloproteinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (MT1-MMP processing of pro- α v
integrin regulated cross-talk between α v β 3
 and α 2 β 1 **integrins**, cell adhesion to
 collagen and migration in human breast carcinoma)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L53 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:793746 HCAPLUS

DN 137:273251

ED Entered STN: 18 Oct 2002

TI Methods of **screening** and using inhibitors of
angiogenesis

IN Baciu, Peter C.; Zhang, Heying; Manuel, Verna
 M.

PA Allergan, Inc., USA

SO PCT Int. Appl., 48 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM C12N

CC 1-12 (Pharmacology)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002081627	A2	20021017	WO 2002-US10501	20020403 <--
	WO 2002081627	A3	20031218		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2003171271	A1	20030911	US 2002-115718	20020403 <--
	EP 1393075	A2	20040303	EP 2002-763922	20020403 <--
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
PRAI	US 2001-281512P	P	20010404 <--		
	WO 2002-US10501	W	20020403 <--		

AB A method of **screening** for agents which are able to inhibit **angiogenesis**. Such agent have therapeutic application in the treatment of conditions including cancer, macular degeneration and retinopathies. Also included are methods of treating a patient having a pathol. condition characterized by an increase in **angiogenesis** which comprises administering to the patient an agent capable of inhibiting activation of an **integrin subunit**.

ST drug **screening angiogenesis** inhibitor **integrin matrix metalloproteinase** eye neovascularization

IT Cell adhesion molecules

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (PECAM-1; methods of **screening** and using inhibitors of
angiogenesis)

IT Gene

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (expression; methods of **screening** and using inhibitors of
angiogenesis)

IT **Angiogenesis**

Angiogenesis inhibitors
Chromatography
Drug screening
Electrophoresis

Human

(methods of **screening** and using inhibitors of **angiogenesis**)

IT Reporter gene

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(methods of **screening** and using inhibitors of **angiogenesis**)

IT Eye, disease

(neovascularization, cornea; methods of **screening**
and using inhibitors of **angiogenesis**)

IT Angiogenesis

(neovascularization, eye, cornea; methods of **screening** and
using inhibitors of **angiogenesis**)

IT Integrins

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α subunit; methods of **screening**
and using inhibitors of **angiogenesis**)

IT 146480-35-5, Matrix metalloproteinase 2 152787-66-1,
Pro MMP-9 161384-17-4, Matrix
metalloproteinase MT1-MMP

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(methods of **screening** and using inhibitors of **angiogenesis**)

IT 161384-17-4, Matrix metalloproteinase
MT1-MMP

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(methods of **screening** and using inhibitors of **angiogenesis**)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L53 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:209623 HCAPLUS

DN 136:367452

ED Entered STN: 20 Mar 2002

TI An alternative processing of integrin α v
subunit in tumor cells by membrane type-
1 matrix metalloproteinase

AU Ratnikov, Boris I.; Rozanov, Dmitri V.; Postnova, Tanya I.; Baci, Peter G.; Zhang, Heying; DiScipio, Richard G.; Chestukhina, Galina G.; Smith, Jeffrey W.; Deryugina, Elena I.; Strongin, Alex Y.
Burnham Institute, La Jolla, CA, 92037, USA

SO Journal of Biological Chemistry (2002), 277(9), 7377-7385
CODEN: JBCHA3; ISSN: 0021-9258

PB American Society for Biochemistry and Molecular Biology

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB Membrane type-1 matrix

metalloproteinase (MT1-MMP) and α

β 3 integrin are both essential to cell invasion.

Maturation of integrin pro- α v chain (pro-

α .v) involves its cleavage by proprotein convertases

(PC) to form the disulfide-bonded 125-kDa heavy and 25-kDa light

α . chains. Our report presents evidence of an alternative

pathway of pro- α v processing involving MT1-

MMP. In breast carcinoma MCF7 cells deficient in MT1-

MMP, pro- α v is processed by a conventional furin-like PC, and the mature α v **integrin subunit** is represented by the 125-kDa heavy chain and the 25-kDa light chain commencing from the N-terminal Asp891. In contrast, in cells co-expressing α v β 3 and **MT1-MMP**, **MT1-MMP** functions as an **integrin** convertase. **MT1-MMP** specifically **cleaves** pro- α .v, generating a 115-kDa heavy chain with the truncated C terminus and a 25-kDa light chain commencing from the N-terminal Leu892. PC-cleavable α 3 and α 5 but not the PC-resistant α 2 **integrin subunit** are also susceptible to **MT1-MMP cleavage**. These novel mechanisms involved in the processing of **integrin . alpha. subunits** underscore the significance and complexity of interactions between **MT1-MMP** and adhesion receptors and suggest that regulation of **integrin** functionality may be an important role of **MT1-MMP** in migrating tumor cells.

ST **integrin alphav MT1 MMP cancer**

IT Neoplasm

(alternative processing of **integrin α v subunit** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT Mammary gland, neoplasm

(carcinoma; alternative processing of **integrin α v subunit** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α v; alternative processing of **integrin α v subunit** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α v.beta.3; alternative processing of **integrin α v subunit** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α 3; alternative processing of **integrin subunits** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT **Integrins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α 5; alternative processing of **integrin subunits** in tumor cells by **membrane type-1 matrix metalloproteinase**)

IT 161384-17-4, Proteinase, matrix metallo-, MT-MMP-1

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(alternative processing of **integrin α v subunit** in tumor cells by **membrane type-1 matrix metalloproteinase**)

RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD

- RE
- (1) Agrez, M; Int J Cancer 1999, V81, P90 HCAPLUS
 - (2) Akiyama, S; Cancer Metastasis Rev 1995, V14, P173 HCAPLUS
 - (3) Bafetti, L; J Biol Chem 1998, V273, P143 HCAPLUS
 - (4) Barbas, C; Proc Natl Acad Sci 1993, V90, P10003 HCAPLUS
 - (5) Belkin, A; J Biol Chem 2001, V276, P18415 HCAPLUS
 - (6) Berthet, V; J Biol Chem 2000, V275, P33308 HCAPLUS

- (7) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (8) Brooks, P; Cell 1998, V92, P391 HCAPLUS
- (9) Brooks, P; Eur J Cancer 1996, V32, P2423
- (10) Delcommenne, M; J Biol Chem 1995, V270, P26794 HCAPLUS
- (11) Delwel, G; J Biol Chem 1996, V271, P7293 HCAPLUS
- (12) Deryugina, E; Exp Cell Res 2001, V263, P209 HCAPLUS
- (13) Deryugina, E; Int J Cancer 2000, V86, P15 HCAPLUS
- (14) Deryugina, E; J Biol Chem in press 2002, V277 HCAPLUS
- (15) Giancotti, F; Science 1999, V285, P1028 HCAPLUS
- (16) Hofmann, U; Int J Cancer 2000, V87, P12 HCAPLUS
- (17) Holly, S; Exp Cell Res 2000, V261, P69 HCAPLUS
- (18) Hotary, K; J Cell Biol 2000, V149, P1309 HCAPLUS
- (19) Humphries, M; Curr Opin Cell Biol 1996, V8, P632 HCAPLUS
- (20) Hynes, R; Cell 1992, V69, P11 HCAPLUS
- (21) Kajita, M; J Cell Biol 2001, V153, P893 HCAPLUS
- (22) Knauper, V; J Biol Chem 1996, V271, P17124 MEDLINE
- (23) Kubota, S; Int J Cancer 1997, V70, P106 HCAPLUS
- (24) Lehmann, M; Biochem J 1996, V317, P803 HCAPLUS
- (25) Lissitzky, J; Biochem J 2000, V346, P133 HCAPLUS
- (26) Madri, J; Dev Immunol 2000, V7, P103 HCAPLUS
- (27) Morini, M; Int J Cancer 2000, V87, P336 HCAPLUS
- (28) Nagase, H; J Biol Chem 1999, V274, P21491 HCAPLUS
- (29) Ohkubo, S; Biochem Biophys Res Commun 1999, V266, P308 HCAPLUS
- (30) Ratnikov, B; Anal Biochem 2000, V286, P149 HCAPLUS
- (31) Riikonen, T; J Biol Chem 1995, V270, P13548 HCAPLUS
- (32) Rozanov, D; J Biol Chem 2001, V276, P25705 HCAPLUS
- (33) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (34) Schoenwaelder, S; Curr Opin Cell Biol 1999, V11, P274 HCAPLUS
- (35) Shalinsky, D; Clin Cancer Res 1999, V5, P1905 HCAPLUS
- (36) Smith, J; J Biol Chem 1994, V269, P32788 HCAPLUS
- (37) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (38) Suzuki, S; Proc Natl Acad Sci 1986, V83, P8614 HCAPLUS
- (39) Takahashi, S; J Biol Chem 1995, V270, P26565 HCAPLUS
- (40) Tremble, P; Mol Biol Cell 1994, V5, P439 HCAPLUS
- (41) Varner, J; Curr Opin Cell Biol 1996, V8, P724 HCAPLUS
- (42) Xu, F; Exp Cell Res 2001, V262, P49 HCAPLUS
- (43) Yakubenko, V; Exp Cell Res 2000, V260, P73 HCAPLUS

IT 161384-17-4, **Proteinase, matrix metallo-, MT-MMP-1**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(alternative processing of **integrin α v**
subunit in tumor cells by **membrane type-1 matrix metalloproteinase**)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

=> d all hitstr tot 154

L54 ANSWER 1 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:90098 HCAPLUS
DN 136:129047
ED Entered STN: 01 Feb 2002
TI **Screening** methods based on superactivated **.alpha.v β 3 integrin**
IN Strongin, Alex Y.; Deryugina, Elena I.
PA The Burnham Institute, USA
SO PCT Int. Appl., 84 pp.
CODEN: PIXXD2
DT Patent
LA English

IC ICM C07K014-47
 CC 1-6 (Pharmacology)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002008280	A2	20020131	WO 2001-US23514	20010726 <--
	WO 2002008280	A3	20030116		
	WO 2002008280	B1	20030320		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2002025510	A1	20020228	US 2001-916658	20010726 <--
PRAI	US 2000-220706P	P	20000726 <--		
AB	The present invention is directed to a method of identifying an inhibitor or enhancer of α v β 3 activity by contacting superactivated α v β 3 integrin with one or more mols.; and assaying an α v β 3 integrin activity, where reduced α v β 3 identifies an inhibitor of α v β 3 activity and where enhanced .alpha v β 3 activity identifies an enhancer of α v β 3 activity. In a preferred embodiment, a cell, such as a MCF-7 breast carcinoma cell, is transfected with a nucleic acid mol. encoding a superactivated β 3 variant, which can have, for example, substantially the amino acid sequence of SEQ ID NO: 6 shown in Figure 3 of the patent.				
ST	antitumor drug screening superactivated alphav beta3 integrin sequence				
IT	Animal cell line (MCF-7; antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Adhesion, biological Antitumor agents Drug screening Gene therapy Human Molecular cloning Neoplasm Protein sequences Regeneration, animal Transformation, genetic cDNA sequences (antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Vitronectin RL: BSU (Biological study, unclassified); BIOL (Biological study) (binding of; antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Mammary gland, neoplasm (carcinoma, MCF-7; antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Mammary gland (carcinoma, inhibitors; antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Transformation, neoplastic (immortalization; antitumor drug screening methods based on superactivated α v β 3 integrin)				
IT	Antibodies				

RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (integrin α v β 3-specific; antitumor drug
 screening methods based on superactivated α
 v β 3 integrin)

IT Antitumor agents
 (mammary gland carcinoma; antitumor drug screening methods
 based on superactivated α v β 3 integrin)

IT Integrins
 RL: ADV (Adverse effect, including toxicity); BSU (Biological study, unclassified); PAC (Pharmacological activity); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (α v.beta.3, enhancers and inhibitors;
 antitumor drug screening methods based on superactivated
 α v.beta.3 integrin)

IT 391979-97-8 391979-98-9 391980-01-1
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (amino acid sequence; antitumor drug screening methods based
 on superactivated α v β 3 integrin)

IT 161384-17-4, Mtl-mmp
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (gene encoding; antitumor drug screening methods based on
 superactivated α v β 3 integrin)

IT 391979-96-7, DNA (human integrin β 3- subunit cDNA)
 391979-99-0 391980-00-0
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (nucleotide sequence; antitumor drug screening methods based
 on superactivated α v β 3 integrin)

IT 391980-06-6 391980-07-7
 RL: PRP (Properties)
 (unclaimed nucleotide sequence; screening methods based on
 superactivated α v β 3 integrin)

IT 391980-03-3 391980-04-4 391980-05-5
 RL: PRP (Properties)
 (unclaimed protein sequence; screening methods based on
 superactivated α v β 3 integrin)

IT 116273-52-0
 RL: PRP (Properties)
 (unclaimed sequence; screening methods based on
 superactivated α v β 3 integrin)

IT 161384-17-4, Mtl-mmp
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (gene encoding; antitumor drug screening methods based on
 superactivated α v β 3 integrin)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 2 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:471280 HCAPLUS

DN 135:193350

ED Entered STN: 29 Jun 2001

TI Effects of matrix proteins on the expression of matrix
 metalloproteinase-2, -9, and -14 and tissue inhibitors
 of metalloproteinases in human cytotrophoblast cells during the
 first trimester

AU Xu, Ping; Wang, Yan-Ling; Piao, Yun-Shang; Bai, Su-Xia; Xiao, Zhi-Jie;
 Jia, Ya-Li; Luo, Shu-Yi; Zhuang, Lin-Zhi

CS State Key Laboratory of Reproductive Biology, Institute of Zoology,
 Chinese Academy of Sciences, Beijing, 100080, Peop. Rep. China

SO Biology of Reproduction (2001), 65(1), 240-246
 CODEN: BIREBV; ISSN: 0006-3363
 PB Society for the Study of Reproduction
 DT Journal
 LA English
 CC 13-6 (Mammalian Biochemistry)
 AB The activity of **matrix metalloproteinases** (**MMPs**) specifies the ability of the trophoblast cell to degrade extracellular **matrix** (ECM) substrates. Usually the process of normal human placentation involves a coordinated interaction between the fetal-derived trophoblast cells and their microenvironment in the uterus. In this study, the effects of ECM proteins on the expression of **MMP-2**, **-9**, and **-14** (membrane-type **MMP-1**); and the production of tissue inhibitors of **metalloproteinase** (TIMP) type **-1**, **-2**, and **-3** have been investigated. Cytotrophoblast cells at 9 or 10 wk of gestation were cultured on various ECM coated dishes under serum-free conditions. Gelatin zymog. anal. showed that cells grown on fibronectin (FN), laminin (LN), and vitronectin (VN) secreted more **MMP-9** (about 1.5- to 3-fold more) than cells cultured on collagen I (Col I), whereas the secretion of **MMP-9** by cells cultured on collagen IV (Col IV) was only half that by the cells on Col I. Northern Blot anal. gave the same results as zymog., indicating that expression of the **MMP-9** gene in cytotrophoblast cells can be affected by **matrix** proteins. There was no significant difference in the expression of **MMP-2** either at protein or mRNA levels among the cells cultured on the different **matrix** substrates. The expression of **MMP-14** was regulated in a manner similar to that of **MMP-2**. Using ELISA, we detected higher levels of TIMP-1 in the culture medium of cells grown on VN, LN, and FN compared with that grown on Col I. But the expression of TIMP-3 mRNA was remarkably inhibited by VN, and ECM proteins had no effect on TIMP-1 and TIMP-2 mRNA expression. It was also observed that cultured cytotrophoblast cells expressed the corresponding receptors for the tested **matrix** proteins, such as **integrins** α 1, **.alpha** .5, α 6, β 1, and β 4. Furthermore, the adhesiveness of cytotrophoblast cells on Col I, Col IV, FN, and LN was increased by 62%, 45%, 21%, and 22%, resp., when compared with adhesiveness on VN. Isolated cytotrophoblast cells remained stationary when cultured on dishes coated with Col I and Col IV, but they assumed a more motile morphol. and aggregated into a network when cultured on LN and VN. These data indicate that human trophoblast cells interact with their microenvironment to control their behavior and function.

ST extracellular **matrix** protein **metalloproteinase** TIMP
 IT expression cytotrophoblast placenta pregnancy
 IT Trophoblast
 (cytotrophoblast; effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)

IT Cell adhesion
 Extracellular **matrix**
 Placenta
 (effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)

IT Fibronectins
 Laminins
 Vitronectin
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (effects of **matrix** proteins on expression of **matrix**

- metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- IT **Integrins**
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- IT **Pregnancy**
 (first trimester; effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- IT **Collagens, biological studies**
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (type I; effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- IT **Collagens, biological studies**
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (type IV; effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- IT 124861-55-8, TIMP-2 140208-24-8, TIMP-1 145809-21-8, TIMP-3 146480-35-5, **Matrix metalloproteinase-2** 146480-36-6, **Matrix metalloproteinase-9** 161384-17-4, **Matrix metalloproteinase-14**
 RL: BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PROC (Process)
 (effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **metalloproteinases** in human cytotrophoblast during first trimester)
- RE.CNT 48 THERE ARE 48 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE
- (1) Alexander, C; J Cell Biol 1992, V118, P727 HCAPLUS
 - (2) Aplin, J; Cell Tissue Res 1988, V253, P231 MEDLINE
 - (3) Aplin, J; J Cell Sci 1991, V99, P681
 - (4) Apte, S; Genomics 1994, V19, P86 HCAPLUS
 - (5) Armant, D; Proc Natl Acad Sci U S A 1986, V83, P6751 HCAPLUS
 - (6) Bass, K; Dev Genet 1997, V21, P61 HCAPLUS
 - (7) Benirschke, K; Pathology of the Human Placenta, 3rd ed 1995, P189
 - (8) Bischof, P; Contracept Fertil Sex 1994, V22, P48 MEDLINE
 - (9) Bradford, M; Anal Biochem 1976, V72, P248 HCAPLUS
 - (10) Burrows, T; Hum Reprod 1993, V8, P475 HCAPLUS
 - (11) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
 - (12) Cao, J; J Biol Chem 1995, V270, P801 HCAPLUS
 - (13) Collier, I; J Biol Chem 1988, V263, P6579 HCAPLUS
 - (14) Corcoran, M; Adv Exp Med Biol 1996, V389, P295 HCAPLUS
 - (15) Crawford, H; Enzyme Protein 1996, V49, P20 HCAPLUS
 - (16) Damsky, C; J Clin Invest 1992, V89, P210 HCAPLUS
 - (17) Emmert-Buck, M; FEBS Lett 1995, V364, P28 HCAPLUS
 - (18) Emonard, H; Invasion Metastasis 1990, V10, P170 MEDLINE
 - (19) Fisher, S; Extracellular Matrix: A Practical Approach 1995, P260

- (20) Fisher, S; J Cell Biol 1989, V109, P891 HCAPLUS
- (21) Fisher, S; Semin Cell Biol 1993, V4, P183 MEDLINE
- (22) Goldberg, G; J Biol Chem 1992, V267, P4583 HCAPLUS
- (23) Graham, C; Biochem Cell Physiol 1992, V70, P867 HCAPLUS
- (24) Huhtala, P; Genomics 1990, V6, P554 HCAPLUS
- (25) Huhtala, P; J Biol Chem 1990, V265, P11077 HCAPLUS
- (26) Huhtala, P; J Biol Chem 1991, V266, P16485 HCAPLUS
- (27) Huppertz, B; Cell Tissue Res 1998, V291, P133 HCAPLUS
- (28) Hurskainen, T; J Histochem Cytochem 1996, V44, P1379 HCAPLUS
- (29) Irving, J; Placenta 1995, V16, P413 MEDLINE
- (30) Kisalus, L; Anat Rec 1987, V218, P402 HCAPLUS
- (31) Li, R; Hum Reprod 1996, V11, P1328
- (32) Librach, C; J Biol Chem 1994, V269, P17125 HCAPLUS
- (33) Librach, C; J Cell Biol 1991, V113, P437 HCAPLUS
- (34) Loke, Y; Placenta 1988, V9, P173 MEDLINE
- (35) Morgan, M; Exp Cell Res 1998, V242, P18 HCAPLUS
- (36) Murphy, G; Biochem J 1991, V277, P277 HCAPLUS
- (37) Polette, M; Lab Invest 1994, V71, P838 HCAPLUS
- (38) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (39) Seftor, R; Proc Natl Acad Sci U S A 1992, V89, P1557 HCAPLUS
- (40) Stetler-Stevenson, W; J Biol Chem 1990, V265, P13933 HCAPLUS
- (41) Sympton, C; J Cell Biol 1994, V125, P681 HCAPLUS
- (42) Tsuboi, R; Int J Cancer 1990, V46, P56 MEDLINE
- (43) Werb, Z; J Cell Biol 1989, V109, P877 HCAPLUS
- (44) Wilhelm, S; J Biol Chem 1989, V264, P17213 HCAPLUS
- (45) Woessner, J; FASEB J 1991, V5, P2145 HCAPLUS
- (46) Xu, P; Biol Reprod 2000, V62, P988 HCAPLUS
- (47) Yagel, S; J Clin Endocrinol Metab 1993, V77, P1506 HCAPLUS
- (48) Yang, Y; Am J Reprod Immunol 1996, V36, P25 MEDLINE

IT 161384-17-4, Matrix metalloproteinase-14

RL: BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PROC (Process)
 (effects of **matrix** proteins on expression of **matrix metalloproteinases** and tissue inhibitors of **matrix metalloproteinases** in human cytotrophoblast during first trimester)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 3 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:350147 HCAPLUS

DN 135:316620

ED Entered STN: 16 May 2001

TI Human hepatocellular carcinoma (HCC) cells require both **.alpha .3beta1 integrin** and **matrix**

metalloproteinases activity for migration and invasion

AU Giannelli, Gianluigi; Bergamini, Carlo; Fransvea, Emilia; Marinosci, Felice; Quaranta, Vito; Antonaci, Salvatore

CS Department of Internal Medicine, Immunology, and Infectious Diseases, University of Bari Medical School, Bari, 70124, Italy

SO Laboratory Investigation (2001), 81(4), 613-627

CODEN: LAINAW; ISSN: 0023-6837

PB Lippincott Williams & Wilkins

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB Hepatocellular carcinoma (HCC) is the most frequent malignant tumor of the liver; prognosis depends on the tendency to metastasize. Cancer cell invasion is regulated by proteolytic remodeling of extracellular

matrix components and by **integrin** expression. We have shown that **matrix metalloproteinase-2 (MMP-2)** and **membrane-type-1 matrix metalloproteinase (MT1-MMP)** cleave Laminin-5 (Ln-5), stimulating cell migration. Here the authors report that all HCC cells express **MT1-MMP**, migrate on Ln-1 and collagen IV, whereas only HCC cells that express **.alpha.3beta1 integrin** secrete detectable levels of gelatinases, migrate on Ln-5, and invade through a reconstituted basement membrane (BM). Migration on Ln-5 is blocked by BB-94, an **MMP** inhibitor, and by MIG1, a **monoclonal** antibody that hinders migration on **MMP-2-cleaved** Ln-5. Invasion through a reconstituted BM is also inhibited by BB-94. HCC α 3beta1-neg. cells migrate on Ln-1 and Collagen IV, but not on Ln-5, and do not invade through a reconstituted BM, although they express **MT1-MMP**. Anti- α 3beta1 blocking antibodies inhibit gelatinase activation, cell motility, and cell invasion through Matrigel. In vivo, α 3beta1 **integrin** and Ln-5 are expressed in HCC tissue but not in normal liver. In conclusion, these data suggest that both α 3beta1 **integrin** and gelatinase activity are required for HCC migration and invasion.

- ST alpha3beta1 **integrin** gelatinase hepatocellular carcinoma migration invasion; MMP2 MT1MMP **integrin** hepatocellular carcinoma migration invasion; laminin **integrin** gelatinase hepatocellular carcinoma migration invasion; collagen **integrin** gelatinase hepatocellular carcinoma migration invasion
- IT Laminins
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(1; **MT1-MMP** of human hepatocellular carcinoma cells migrate on Ln-1 and collagen IV)
- IT Laminins
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(5; α 3beta1 **integrin** of human hepatocellular carcinoma cells migrate on Ln-5 and invade through a reconstituted basement membrane)
- IT Liver, neoplasm
(hepatoma; human hepatocellular carcinoma cells require α 3beta1 **integrin** and **matrix metalloproteinases** activity for migration and invasion)
- IT Cell migration
(human hepatocellular carcinoma cells require α 3beta1 **integrin** and **matrix metalloproteinases** activity for migration and invasion)
- IT Collagens, biological studies
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(type IV; **MT1-MMP** of human hepatocellular carcinoma cells migrate on Ln-1 and collagen IV)
- IT Basement membrane
(α 3beta1 **integrin** of human hepatocellular carcinoma cells migrate on Ln-5 and invade through a reconstituted basement membrane)
- IT **Integrins**
RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(α 3beta1; **MT1-MMP** of human hepatocellular carcinoma cells migrate on Ln-5 and collagen IV)
- IT 146480-35-5, **MMP 2**
RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL

(Biological study)

(**MMP-2** of human hepatocellular carcinoma cells
cleaved laminin 5)

IT 161384-17-4, **MT1-MMP**

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(**MT1-MMP** of human hepatocellular carcinoma cells
migrate on Ln-1 and collagen IV)

RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Albini, A; Cancer Res 1987, V47, P3239 MEDLINE
- (2) Lora, J; Hepatology 1998, V28, P1095 HCAPLUS
- (3) Melchiori, A; Exp Cell Res 1995, V219, P233 HCAPLUS
- (4) Meneguzzi, G; Exp Dermatol 1992, V1, P221 HCAPLUS
- (5) Miyazaki, K; J Biol Chem 1993, V268, P14387 HCAPLUS
- (6) Miyazaki, K; Proc Natl Acad Sci 1993, V90, P11767 HCAPLUS
- (7) Mizushima, H; J Biochem 1996, V120, P1196 HCAPLUS
- (8) Morini, M; Int J Cancer 2000, V87, P336 HCAPLUS
- (9) Murphy, G; Curr Opin Cell Biol 1999, V11, P614 HCAPLUS
- (10) Nagase, H; Biol Chem 1997, V378, P151 HCAPLUS
- (11) Nejjar, M; Int J Cancer 1999, V83, P518 HCAPLUS
- (12) Pellegrini, R; Tumori 1992, V78, P1 HCAPLUS
- (13) Plopper, G; J Cell Sci 1996, V109, P1965 HCAPLUS
- (14) Pyke, C; Cancer Res 1995, V55, P4132 HCAPLUS
- (15) Raney, A; J Virol 1990, V64, P2360 HCAPLUS
- (16) Roskelley, C; Curr Opin Cell Biol 1995, V7, P736 HCAPLUS
- (17) Ruoslahti, E; Cancer Cells 1989, V1, P119 HCAPLUS
- (18) Ruoslahti, E; Integrins J Clin Invest 1991, V87, P1 HCAPLUS
- (19) Scoazec, J; Hepatology 1996, V24, P1128 MEDLINE
- (20) Shaw, L; Cell 1997, V91, P949 HCAPLUS
- (21) Stetler-Stevenson, W; Annu Rev Cell Biol 1993, V9, P541 HCAPLUS
- (22) Sugiyama, T; J Cell Biol 1999, V146, P1375 HCAPLUS
- (23) Vailly, J; Eur J Biochem 1994, V219, P209 HCAPLUS
- (24) Yamanaka, N; Cancer 1990, V65, P1104 MEDLINE

IT 161384-17-4, **MT1-MMP**

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(**MT1-MMP** of human hepatocellular carcinoma cells
migrate on Ln-1 and collagen IV)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 4 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:148909 HCAPLUS

DN 134:308361

ED Entered STN: 01 Mar 2001

TI Collagen-induced proMMP-2 activation by **MT1-MMP** in
human dermal fibroblasts and the possible role of **.alpha**
.2beta1 integrins

AU Zigrino, Paola; Drescher, Claudia; Mauch, Cornelia

CS Department of Dermatology, University of Cologne, Cologne, D-50924,
Germany

SO European Journal of Cell Biology (2001), 80(1), 68-77

CODEN: EJCBND; ISSN: 0171-9335

PB Urban & Fischer Verlag

DT Journal

LA English

CC 13-2 (Mammalian Biochemistry)

AB Culture of human dermal fibroblasts within a three-dimensional

matrix composed of native type I collagen fibrils is widely used to study the cellular responses to the extracellular **matrix**. Upon contact with native type I collagen fibrils human skin fibroblasts activate latent 72-kDa type IV collagenase/gelatinase (**MMP-2**) to its active 59- and 62-kDa forms. This activation did not occur when cells were cultured on plastic dishes coated with monomeric type I collagen or its denatured form, gelatin. Activation could be inhibited by antibodies against **MT1-MMP**, by the addition of TIMP-2 and by prevention of **MT1-MMP** processing. **MT1-MMP** protein was detected at low levels as active protein in fibroblasts cultured as monolayers. In collagen gel cultures, an increase of the active, 60-kDa **MT1-MMP** and an addnl. 63-kDa protein corresponding to inactive **MT1-MMP** was detected. Incubation of medium containing latent **MMP-2** with cell membranes isolated from fibroblasts grown in collagen gels caused activation of the enzyme. Furthermore, regulation of **MT1-MMP** expression in collagen cultures seems to be mediated by **alpha.2beta1 integrins**. These studies suggest that activation of the pro**MMP-2** is regulated at the cell surface by a mechanism which is sensitive to cell culture in contact with physiol. relevant **matrixes** and which depends on the ratio of proenzyme and the specific inhibitor TIMP-2.

- ST collagen fibril pro**MMP2** processing gelatinase **MT1MMP integrin**
fibroblast
- IT Fibroblast
Post-translational processing
(collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT Organelle
(fibril; collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT Collagens, biological studies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(type I, fibril-forming; collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT **Integrins**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(α 2 β 1; collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT 161384-17-4, **MT1-MMP**
RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT 146480-35-5, **Matrix metalloproteinase 2**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(collagen-induced pro**MMP-2** activation by **MT1-MMP** in human dermal fibroblasts and possible role of α 2 β 1 **integrins**)
- IT 148969-98-6, Pro-**matrix metalloproteinase 2**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(collagen-induced proMMP-2 activation by **MT1-MMP** in human dermal fibroblasts and possible role of $\alpha 2\beta 1$ integrins)

IT 124861-55-8, TIMP-2

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(collagen-induced proMMP-2 activation by **MT1-MMP** in human dermal fibroblasts and possible role of $\alpha 2\beta 1$ integrins in relation to)

RE.CNT 50 THERE ARE 50 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Angel, P; Mol Cell Biol 1987, V7, P2256 HCAPLUS
- (2) Brown, P; Cancer Res 1990, V50, P6184 HCAPLUS
- (3) Butler, G; Eur J Biochem 1997, V244, P653 HCAPLUS
- (4) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
- (5) Cao, J; J Biol Chem 1996, V271, P30174 HCAPLUS
- (6) Chen, W; Ann N Y Acad Sci 1999, V878, P361 HCAPLUS
- (7) Collier, I; J Biol Chem 1988, V263, P6579 HCAPLUS
- (8) Corcoran, M; Enzyme Protein 1996, V49, P7 HCAPLUS
- (9) De Clerck, Y; Gene 1994, V139, P185 HCAPLUS
- (10) Dumin, J; J Invest Dermatol 1999, V112, P536
- (11) d'Ortho, M; FEBS Lett 1998, V421, P159 HCAPLUS
- (12) Eble, J; EMBO J 1993, V12, P4795 HCAPLUS
- (13) Gilles, C; Lab Invest 1997, V76, P651 HCAPLUS
- (14) Goldberg, G; Proc Natl Acad Sci USA 1989, V86, P8207 HCAPLUS
- (15) Gullberg, D; EMBO J 1992, V11, P3865 HCAPLUS
- (16) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (17) He, C; Proc Natl Acad Sci USA 1989, V86, P2632 HCAPLUS
- (18) Heino, J; Int J Cancer 1996, V65, P717 MEDLINE
- (19) Hemler, M; J Biol Chem 1985, V260, P1524
- (20) Kahari, V; Ann Med 1999, V31, P34 HCAPLUS
- (21) Kazes, I; Kidney Int 1998, V54, P1976 HCAPLUS
- (22) Klein, C; J Cell Biol 1991, V115, P1427 HCAPLUS
- (23) Kurschat, P; J Biol Chem 1999, V274, P21056 HCAPLUS
- (24) Langholz, O; J Cell Biol 1995, V131, P1903 HCAPLUS
- (25) Lee, A; Proc Natl Acad Sci USA 1997, V94, P4424 HCAPLUS
- (26) Lehti, K; Biochem J 1998, V334, P345 HCAPLUS
- (27) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
- (28) Maquoi, E; FEBS Lett 1998, V424, P262 HCAPLUS
- (29) Mauch, C; Exp Cell Res 1988, V178, P493 HCAPLUS
- (30) Murphy, G; Biochem J 1987, V248, P265 HCAPLUS
- (31) Nagase, H; Biochemistry 1990, V29, P5783 HCAPLUS
- (32) Nagase, H; J Biol Chem 1999, V274, P21491 HCAPLUS
- (33) Okumura, Y; FEBS Lett 1997, V402, P181 HCAPLUS
- (34) Overall, C; Ann N Y Acad Sci 1994, V732, P51 HCAPLUS
- (35) Pei, D; J Biol Chem 1999, V274, P8925 HCAPLUS
- (36) Puente, X; Cancer Res 1996, V56, P944 HCAPLUS
- (37) Sato, H; FEBS Lett 1996, V393, P101 HCAPLUS
- (38) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (39) Stetler-Stevenson, W; J Biol Chem 1989, V264, P17374 HCAPLUS
- (40) Strongin, A; J Biol Chem 1993, V268, P14033 HCAPLUS
- (41) Sudbeck, B; J Biol Chem 1994, V269, P30022 HCAPLUS
- (42) Takino, T; J Biol Chem 1995, V270, P23013 HCAPLUS
- (43) Tomasek, J; J Biol Chem 1997, V272, P7482 HCAPLUS
- (44) Velasco, G; Cancer Res 2000, V60, P877 HCAPLUS
- (45) Vincent, S; Nucleic Acids Res 1993, V21, P1498 HCAPLUS
- (46) Ward, R; Biochim Biophys Acta 1991, V1079, P242 HCAPLUS
- (47) Will, H; Eur J Biochem 1995, V231, P602 HCAPLUS
- (48) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (49) Yu, A; Clin Pharmacol 1997, V11, P229 HCAPLUS
- (50) Zucker, S; J Biol Chem 1998, V273, P1216 HCAPLUS

IT 161384-17-4, **MT1-MMP**

RL: BAC (Biological activity or effector, except adverse); BOC (Biological

occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
 (collagen-induced proMMP-2 activation by **MT1-MMP** in human dermal fibroblasts and possible role of $\alpha 2\beta 1$ integrins)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 5 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:75036 HCAPLUS

DN 134:324375

ED Entered STN: 01 Feb 2001

TI **MT1-MMP** Initiates Activation of pro-**MMP-2** and **Integrin** α v β 3 Promotes Maturation of **MMP-2** in Breast Carcinoma Cells

AU Deryugina, Elena I.; Ratnikov, Boris; Monosov, Edward; Postnova, Tanya I.; DiScipio, Richard; Smith, Jeffrey W.; Strongin, Alex Y.

CS The Burnham Institute, La Jolla, CA, 92037, USA

SO Experimental Cell Research (2001), 263(2), 209-223
 CODEN: ECREAL; ISSN: 0014-4827

PB Academic Press

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB We evaluated cellular mechanisms involved in the activation pathway of **matrix prometalloproteinase-2** (pro-**MMP-2**), an enzyme implicated in the malignant progression of many tumor types. **Membrane type-1 matrix metalloproteinase (MT1-MMP) cleaves** the N-terminal prodomain of pro-**MMP-2** thus generating the activation intermediate that then matures into the fully active enzyme of **MMP-2**. Our results provide evidence on how a collaboration between **MT1-MMP** and **integrin .alpha.vbeta3** promotes more efficient activation and specific, transient docking of the activation intermediate and, further, the mature, active enzyme of **MMP-2** at discrete regions of cells. We show that coexpression of **MT1-MMP** and **integrin .alpha.vbeta3** in MCF7 breast carcinoma cells specifically enhances in trans autocatalytic maturation of **MMP-2**. The association of **MMP-2**'s C-terminal hemopexin-like domain with those mols. of **integrin** α v β 3 which are proximal to **MT1-MMP** facilitates **MMP-2** maturation. Vitronectin, a specific ligand of **integrin .alpha.vbeta3**, competitively blocked the **integrin**-dependent maturation of **MMP-2**. Immunofluorescence and immunopptn. studies supported clustering of **MT1-MMP** and **integrin** α v β 3 at discrete regions of the cell surface. Evidently, the identified mechanisms appear to be instrumental to clustering active **MMP-2** directly at the invadopodia and invasive front of α v β 3-expressing cells or in their close vicinity, thereby accelerating tumor cell locomotion. (c) 2001 Academic Press.

ST MT1MMP proMMP2 **matrix metalloproteinase**
integrin breast carcinoma motility

IT Cell membrane
 Cell migration

(**MT1-MMP** initiates activation of pro-**MMP-2** and **integrin** α v β 3 promotes maturation of **MMP-2** in human breast carcinoma cells in relation to motility)

IT Vitronectin

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(**MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT Mammary gland

(carcinoma; **MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT Sarcoma

(fibrosarcoma; **MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT Neuroglia

(glioma; **MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT Integrins

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(α v.beta.3; **MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v.beta.3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT 146480-35-5, **Matrix metalloproteinase-2** 148969-98-6, Pro-**MMP**-2 161384-17-4, **MT1-MMP**

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(**MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

IT 124861-55-8, **TIMP-2**

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(**MT1-MMP** initiates activation of pro-**MMP**-2 and **integrin** α v β 3 promotes maturation of **MMP**-2 in human breast carcinoma cells in relation to motility)

RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Atkinson, S; J Biol Chem 1995, V270, P30479 HCAPLUS
- (2) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (3) Brooks, P; Cell 1998, V92, P391 HCAPLUS
- (4) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
- (5) Caterina, J; J Biol Chem 2000, V275, P26416 HCAPLUS
- (6) Cockett, M; Biochem Soc Symp 1998, V63, P295 HCAPLUS
- (7) Coussens, L; Chem Biol 1996, V3, P895 HCAPLUS
- (8) Deryugina, E; Anticancer Res 1997, V17, P3201 HCAPLUS
- (9) Deryugina, E; Cancer Res 1998, V58, P3743 HCAPLUS
- (10) Deryugina, E; Hybridoma 1996, V15, P279 HCAPLUS
- (11) Deryugina, E; Int J Cancer 2000, V86, P15 HCAPLUS
- (12) Deryugina, E; J Cell Sci 1997, V110, P2473 HCAPLUS
- (13) Friedlander, M; Science 1995, V270, P1500 HCAPLUS
- (14) Goldberg, G; Proc Natl Acad Sci USA 1989, V86, P8207 HCAPLUS
- (15) Hofmann, U; Int J Cancer 2000, V87, P12 HCAPLUS
- (16) Hofmann, U; J Invest Dermatol 2000, V115, P625 HCAPLUS

- (17) Itoh, T; Cancer Res 1998, V58, P1048 HCAPLUS
- (18) Kinoshita, T; J Biol Chem 1998, V273, P16098 HCAPLUS
- (19) Kleiner, D; Anal Biochem 1994, V218, P325 HCAPLUS
- (20) Kohn, E; Cancer Res 1995, V55, P1856 HCAPLUS
- (21) Lin, E; J Biol Chem 1997, V272, P23912 HCAPLUS
- (22) Makowski, G; Anal Biochem 1996, V236, P353 HCAPLUS
- (23) Menashi, S; Int J Cancer 1998, V75, P259 HCAPLUS
- (24) Monsky, W; Cancer Res 1993, V53, P3159 HCAPLUS
- (25) Nagase, H; J Biol Chem 1999, V274, P21491 HCAPLUS
- (26) Nakahara, H; Proc Natl Acad Sci USA 1997, V94, P7959 HCAPLUS
- (27) Nakamura, H; Cancer Res 1999, V59, P467 HCAPLUS
- (28) Okada, A; Proc Natl Acad Sci USA 1995, V92, P2730 HCAPLUS
- (29) Overall, C; J Biol Chem 2000, V275, P39497 HCAPLUS
- (30) Partridge, C; Am J Physiol 1997, V272, PL813 HCAPLUS
- (31) Pei, D; J Biol Chem 1996, V271, P9135 HCAPLUS
- (32) Ruoslahti, E; Tumour Biol 1996, V17, P117 MEDLINE
- (33) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (34) Shofuda, K; J Biochem 1998, V124, P462 HCAPLUS
- (35) Strongin, A; J Biol Chem 1993, V268, P14033 HCAPLUS
- (36) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (37) Toth, M; J Biol Chem 2000, V275, P12080
- (38) Uhm, J; Front Biosci 1999, V4, P188
- (39) Wang, Z; J Biol Chem 2000, V275, P26411 HCAPLUS
- (40) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (41) Yamamoto, M; Cancer Res 1996, V56, P384 HCAPLUS
- (42) Zucker, S; Int J Cancer 1990, V45, P1137 HCAPLUS
- (43) Zucker, S; J Biol Chem 1998, V273, P1216 HCAPLUS

IT 161384-17-4, MT1-MMP

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(MT1-MMP initiates activation of pro-MMP

-2 and integrin α v β 3 promotes maturation

of MMP-2 in human breast carcinoma cells in relation to motility)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 6 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:31742 HCAPLUS

DN 134:99591

ED Entered STN: 12 Jan 2001

TI Diagnostics and therapeutics for arterial wall disruptive disorders

IN Hageman, Gregory S.

PA University of Iowa Research Foundation, USA

SO PCT Int. Appl., 148 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM G01N033-68

CC 15-8 (Immunochemistry)

Section cross-reference(s): 1, 3, 9, 14

FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001002866	A1	20010111	WO 2000-US4583	20000222 <--
	W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ,			

BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
 DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
 CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 EP 1153301 A1 20011114 EP 2000-915841 20000222 <--
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO
 JP 2003506016 T2 20030218 JP 2001-508612 20000222 <--
 US 2003149997 A1 20030807 US 2000-511008 20000222 <--
 PRAI US 1999-120668P P 19990219 <--
 US 1999-120822P P 19990219 <--
 US 1999-123052P P 19990305 <--
 WO 2000-US4583 W 20000222 <--
 AB The invention provides diagnostics, therapeutics and drug
screening assays for arterial wall disruptive disorders, based on
 the discovery of a high level of correlation between the incidence of
 arterial wall disruptive disorders and the incidence of Age Related
 Macular Degeneration (AMD). In one embodiment, the arterial wall
 disruptive disorder is an aortic aneurysm.
 ST arterial wall disruptive disorder marker model
 IT Amyloid
 Apolipoproteins
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (A; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Rat
 (Anidjar/Dobrin; diagnostics and therapeutics for arterial wall
 disruptive disorders)
 IT Proteins, specific or class
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (Big H3; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Proteins, specific or class
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (C-reactive; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Antigens
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (CD100; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT CD1 (antigen)
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (CD1a; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Antigens
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (CD83; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Genetic markers
 (D2S2352 and D2S1364; diagnostics and therapeutics for arterial wall
 disruptive disorders)
 IT Nucleic acid amplification (method)
 (DNA, anal.; diagnostics and therapeutics for arterial wall disruptive
 disorders)
 IT Apolipoproteins
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)

- (E; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Histocompatibility antigens
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(HLA-DR; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Heat-shock proteins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(HSP 70; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Cell adhesion molecules
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ICAM-1 (intercellular adhesion mol. 1); diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(LTLP; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(MFAP-1; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(MFAP-2; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Histocompatibility antigens
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(MHC (major histocompatibility complex); diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Amyloid
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(P; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Cell adhesion molecules
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(PECAM-1; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(PI-1 protein; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(PI-2 protein; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(PLOD; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class

- RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(RAIDD or death adaptor protein; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(S-100; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Aneurysm
(abdominal aortic aneurysm; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(acute-phase; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Diagnosis
(agents; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Animal tissue
(anal.; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT RNA
RL: AMX (Analytical matrix); BSU (Biological study, unclassified); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); USES (Uses)
(anal.; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Radiography
(angiog., fundus fluorescein; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Interleukin 13
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(antagonists; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Aneurysm
(aortic; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Artery, disease
(arterial wall disruptive disorder; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Antibodies
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(autoantibodies; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT **Integrins**
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(b-1; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Drug delivery systems
(carriers; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cell death protein; diagnostics and therapeutics for arterial wall disruptive disorders)
- IT Eye
(choroid, fibrosis; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Fibrosis
(choroidal; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Cell activation
Cell differentiation
Cell migration
Cell proliferation
(dendritic cell; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Disease, animal
(dense deposit disease; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Test kits
(diagnostic; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Aging, animal
Alleles
Amyloidosis
Anti-inflammatory agents
Atherosclerosis
Blood analysis
Chromosome
Disease models
Drug screening
Genetic markers
Genetic polymorphism
Immunoassay
Infection
Leukocyte
Mammal (Mammalia)
Susceptibility (genetic)
Urine analysis
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Nucleic acids
RL: AMX (Analytical matrix); BSU (Biological study, unclassified); PUR (Purification or recovery); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT DNA
RL: AMX (Analytical matrix); BSU (Biological study, unclassified); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Antibodies
RL: ARG (Analytical reagent use); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD antigens
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD14 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD4 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD45 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD68 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD80 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT CD86 (antigen)
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Chemokines
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Clusterin
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Collagens, biological studies
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Complement receptors
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Cytokines
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Elastins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Fibrillins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Fibrinogens
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Gene, animal
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Heat-shock proteins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Immune complexes
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Immunoglobulins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 1
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)

(diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 10
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 12
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 3
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 4
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukin 6
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Interleukins
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT **LFA-1 (antigen)**
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT LFA-3 (antigen)
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Thrombospondins
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Tumor necrosis factors
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Vitronectin
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

IT Granulation tissue
 (disciform; diagnostics and therapeutics for arterial wall disruptive
 disorders)

IT Macaca irus
 Monkey
 (disease model; diagnostics and therapeutics for arterial wall
 disruptive disorders)

IT Connective tissue
 (disease, inherited; diagnostics and therapeutics for arterial wall
 disruptive disorders)

IT Aneurysm
 (dissecting; diagnostics and therapeutics for arterial wall disruptive
 disorders)

IT Biomarkers (biological responses)
 (drusen-associated; diagnostics and therapeutics for arterial wall
 disruptive disorders)

IT Disease, animal
 (elastosis; diagnostics and therapeutics for arterial wall disruptive

disorders)

IT Electrochemical analysis
(electrooculogram; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Electrochemical analysis
(electroretinogram; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(emilin; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Glycoproteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fibulins; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ficolin; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Photography
(fundus; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Chromosome
(human 2; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Biochemical molecules
(immune-associated; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Proteins, specific or class
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(lamins; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Scanning microscopy
(laser scanning microscopy, canning laser ophthalmoscopy; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Immunoglobulins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(light chains, λ and κ ; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Eye, disease
(macula, degeneration; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Fibrosis
(macula; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Vision
(measurement; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Neuroglia
(microglia, retinal; diagnostics and therapeutics for arterial wall disruptive disorders)

IT **Angiogenesis**
(neovascularization, retinal; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Aneurysm
(peripheral; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Eye

(pigment epithelium, subretinal pigmented epithelial space; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Dendritic cell
(proliferation; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Eye
(retina, antigen; diagnostics and therapeutics for arterial wall disruptive disorders)

IT **Eye, disease**
(retina, neovascularization; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Cell death
(retinal pigment epithelium; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Repetitive DNA
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(tandem, short; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Artery, disease
(thoracic aorta, aneurysm; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Animal
(transgenic; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Collagens, biological studies
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(type VI; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Aneurysm
(visceral; diagnostics and therapeutics for arterial wall disruptive disorders)

IT Microglobulins
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(β 2-; diagnostics and therapeutics for arterial wall disruptive disorders)

IT 9004-06-2, Elastase
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(HME or human macrophage elastase; diagnostics and therapeutics for arterial wall disruptive disorders)

IT 9054-89-1
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(copper-zinc-containing; diagnostics and therapeutics for arterial wall disruptive disorders)

IT 9001-26-7, Prothrombin 9001-29-0, Factor X 9001-92-7, **Protease**
9004-08-4, Cathepsin 9059-25-0, Lysyl oxidase 37205-61-1, **Protease** inhibitor 60267-61-0, Ubiquitin 62031-54-3, FGF 62683-29-8, CSF 80295-41-6, Complement C3 80295-53-0, Complement C5 80295-59-6, Complement C9 81627-83-0, M-CSF 82986-89-8, Complement C5b9 83869-56-1, GM-CSF 86102-31-0, TIMP 140879-24-9, Proteasome 141256-43-1, Antichymotrypsin 141907-41-7 **161384-17-4, MMP-14**
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(diagnostics and therapeutics for arterial wall disruptive disorders)

IT 92899-39-3 319937-31-0 319937-32-1 319937-33-2 319937-34-3
319937-35-4 319937-36-5 319937-37-6 319937-38-7 319937-39-8
319937-40-1 319937-41-2 319937-42-3 319937-43-4 319937-44-5
319937-45-6 319937-46-7 319937-47-8 319937-48-9 319937-49-0

319937-50-3 319937-51-4 319937-52-5 319937-53-6

RL: PRP (Properties)

(unclaimed sequence; diagnostics and therapeutics for arterial wall disruptive disorders)

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Applied Research Systems; WO 9401123 A 1994 HCAPLUS
- (2) Chaine, G; BR J OPHTHALMOL 1998, V82(9), P996 MEDLINE
- (3) Cunningham, R; AMERICAN JOURNAL OF OPHTHALMOLOGY 1971, V72(4), P743 MEDLINE
- (4) Sacks, J; ARCHIVES OF OPHTHALMOLOGY 1977, V95(3), P425 MEDLINE
- (5) Schering Corp; WO 9740849 A 1997 HCAPLUS
- (6) Vingerling, J; ARCH PHTHALMOL 1996, V114(10), P1193 MEDLINE

IT 161384-17-4, MMP-14

RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (diagnostics and therapeutics for arterial wall disruptive disorders)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 7 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:14693 HCAPLUS

DN 134:324533

ED Entered STN: 08 Jan 2001

TI Ligation of α 4 β 1 **integrin** on human
 intestinal mucosal mesenchymal cells selectively up-regulates
membrane type-1 matrix

AU Pender, Sylvia L. F.; Salmela, Mikko T.; Monteleone, Giovanni; Schnapp, Denni; McKenzie, Catriona; Spencer, Jo; Fong, Sherman; Saarialho-Kere, Ulpu; MacDonald, Thomas T.

CS Centre for Infection, Allergy, Inflammation and Repair, University of
 Southampton School of Medicine, Southampton, SO 16 6YD, UK

SO American Journal of Pathology (2000), 157(6), 1955-1962
 CODEN: AJPA44; ISSN: 0002-9440

PB American Society for Investigative Pathology

DT Journal

LA English

CC 14-7 (Mammalian Pathological Biochemistry)

AB Human intestinal lamina propria mesenchymal cells show high surface
 expression of the α 4 β 1 **integrin**. Ligation
 of α 4 β 1 on mesenchymal cell lines with an activating
monoclonal anti- α 4 antibody or vascular cell
 adhesion mol.-Ig (VCAM-IgG) leads to the appearance of activated forms of
 gelatinase A in culture supernatants, and the de novo expression of
 activated **membrane type-1-matrix**
metalloproteinase (MT1-MMP). In functional
 assays, signaling through α 4 β 1 results in an
 increased capacity of mesenchymal cells to migrate through an artificial
 extracellular **matrix**, an effect inhibitable by excess tissue
 inhibitor of **metalloproteinase-2**. In organ cultures of human
 intestine, VCAM-IgG also up-regulates **MT1-MMP**, and in
 mucosal ulcers of inflammatory bowel disease patients, **MT1-**
MMP transcripts are abundant, coincident with expression of VCAM-1
 on cells at the ulcer margin. Collectively these results suggest that .
alpha.4 β 1-induced up-regulation of MT1-MMP
 may be a crucial factor in the migration of mesenchymal cells into ulcer
 beds during restitution of diseased gut mucosa.

ST ligation alpha4beta1 **integrin** intestinal mucosal mesenchymeMT1MMP **metalloproteinase** migration; **membrane****type 1 matrix metalloproteinase**intestine mesenchyme alpha4beta1 **integrin**

- IT Gene, animal
 RL: BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
 (MT-MMP-1; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT mRNA
 RL: BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PROC (Process)
 (MT-MMP-1; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT Cell adhesion molecules
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (VCAM-1; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution and)
- IT Transcriptional regulation
 (activation; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT Intestine, disease
 (inflammatory; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution and)
- IT Animal cell line
 Cell migration
 Phenotypes
 (ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT Signal transduction, biological
 Wound healing
 (ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution and)
- IT Extracellular **matrix**
 (migration through; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT Intestine
 (mucosa; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix**

- metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT Intestine, disease
(ulcer; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT **Integrins**
RL: BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(α 4 β 1; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT 161384-17-4, **Matrix metalloproteinase MT-MMP-1**
RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)
- IT 146480-35-5, Gelatinase A
RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution and)
- IT 79955-99-0, Stromelysin 1 124861-55-8, **Proteinase inhibitor**, TIMP-2 140208-24-8, **Proteinase inhibitor**, TIMP-1 146480-36-6, Gelatinase B
RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
(ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells selectively up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution and)
- IT 9001-12-1, Collagenase
RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
(type 1; ligation of α 4 β 1 **integrin** on human intestinal mucosal mesenchymal cells up-regulates **membrane type-1 matrix metalloproteinase** and confers a migratory phenotype in relation to migration into ulcer beds during restitution)

RE.CNT 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Bailey, C; J Clin Pathol 1994, V47, P113 MEDLINE
- (2) Birdsall, H; J Immunol 1992, V148, P2717 HCAPLUS
- (3) Birkedal-Hansen, H; Crit Rev Oral Biol Med 1993, V4, P197 MEDLINE
- (4) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (5) Chiu, H; J Immunol 1995, V155, P5257 HCAPLUS
- (6) Choy, M; J Pathol 1990, V160, P35 MEDLINE
- (7) Dean, D; J Clin Invest 1989, V84, P678 HCAPLUS

- (8) Freedman, A; Science 1990, V249, P1030 HCAPLUS
 - (9) Giambernardi, T; Matrix Biol 1998, V16, P483 HCAPLUS
 - (10) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
 - (11) Holmbeck, K; Cell 1999, V99, P81 HCAPLUS
 - (12) Holzmann, B; Cell 1989, V56, P37 HCAPLUS
 - (13) Ilic, D; Nature 1995, V377, P539
 - (14) Itoh, T; J Biol Chem 1997, V272, P22389 HCAPLUS
 - (15) Jackson, D; J Med Chem 1997, V40, P3359 HCAPLUS
 - (16) Jung, H; J Clin Invest 1995, V95, P55 HCAPLUS
 - (17) Kumagai, K; J Immunol 1999, V162, P4212 HCAPLUS
 - (18) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
 - (19) Maguire, J; J Exp Med 1995, V182, P2079 HCAPLUS
 - (20) Mahida, Y; Clin Exp Immunol 1997, V109, P377 MEDLINE
 - (21) Matrisian, L; Bioessays 1992, V14, P455 HCAPLUS
 - (22) Meikle, M; J Periodontal Res 1989, V24, P207 HCAPLUS
 - (23) Miyake, K; J Cell Biol 1991, V114, P557 HCAPLUS
 - (24) Miyake, K; J Exp Med 1991, V173, P599 HCAPLUS
 - (25) Monteleone, G; Gastroenterology 1999, V117, P1069 HCAPLUS
 - (26) Murphy, G; Connective Tissue and Its Heritable Disorders: Molecular, Genetic, and Medical Aspects 1993, P287 HCAPLUS
 - (27) Nagase, H; J Biol Chem 1999, V274, P21491 HCAPLUS
 - (28) Okada, A; J Cell Biol 1997, V137, P67 HCAPLUS
 - (29) Okada, A; Proc Natl Acad Sci USA 1995, V92, P2730 HCAPLUS
 - (30) Osborn, L; Cell 1989, V59, P1203 HCAPLUS
 - (31) Pender, S; Gastroenterology 1998, V115, P573 HCAPLUS
 - (32) Pender, S; J Immunol 1997, V158, P1582 HCAPLUS
 - (33) Podolsky, D; Am J Physiol 1999, V277, PG495 HCAPLUS
 - (34) Powell, D; Am J Physiol 1999, V277, PC183 HCAPLUS
 - (35) Prosser, I; Am J Pathol 1989, V135, P1073 HCAPLUS
 - (36) Renz, M; J Cell Biol 1994, V125, P1395 HCAPLUS
 - (37) Rice, G; Am J Pathol 1991, V138, P385 HCAPLUS
 - (38) Romanic, A; J Cell Biol 1994, V125, P1165 HCAPLUS
 - (39) Ryan, D; J Clin Invest 1991, V88, P995 HCAPLUS
 - (40) Saarialho-Kere, U; Am J Pathol 1996, V148, P519 MEDLINE
 - (41) Saarialho-Kere, U; J Clin Invest 1992, V90, P1952 HCAPLUS
 - (42) Saarialho-Kere, U; J Clin Invest 1993, V92, P2858 HCAPLUS
 - (43) Sato, H; Nature 1994, V370, P61 HCAPLUS
 - (44) Sato, T; J Immunol 1995, V155, P2938 HCAPLUS
 - (45) Thornhill, M; J Immunol 1990, V145, P865 HCAPLUS
 - (46) Vaalamo, M; Am J Pathol 1998, V152, P1005 HCAPLUS
 - (47) Woessner, J; FASEB J 1991, V5, P2145 HCAPLUS
- IT 161384-17-4, **Matrix metalloproteinase**
MT-MMP-1
 RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
 (ligation of $\alpha 4\beta 1$ **integrin** on human
 intestinal mucosal mesenchymal cells selectively up-regulates
membrane type-1 matrix
metalloproteinase and confers a migratory phenotype in relation
 to migration into ulcer beds during restitution)
- RN 161384-17-4 HCAPLUS
 CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 8 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2001:3193 HCAPLUS
 DN 134:129112
 ED Entered STN: 02 Jan 2001
 TI Adhesion-dependent control of **matrix metalloproteinase**
 -2 activation in human capillary endothelial cells
 AU Yan, Li; Moses, Marsha A.; Huang, Sui; Ingber, Donald E.

CS Departments of Surgery and Children's Hospital, Harvard Medical School,
Boston, MA, 02115, USA

SO Journal of Cell Science (2000), 113(22), 3979-3987
CODEN: JNCSAI; ISSN: 0021-9533

PB Company of Biologists Ltd.

DT Journal

LA English

CC 13-6 (Mammalian Biochemistry)

AB The growth and regression of capillary blood vessels during **angiogenesis** is greatly influenced by changes in the activity of **matrix metalloproteinases (MMPs)**, which selectively degrade extracellular **matrix (ECM)** and thereby modulate capillary endothelial cell shape, growth and viability. However, changes in cell-ECM binding and cell spreading have also been reported to alter **MMP** secretion and activation. Studies were carried out to determine whether changes in **integrin** binding or cell shape feed back to alter **MMP-2** processing in human capillary endothelial (HCE) cells. Catalytic processing of proMMP-2 to active **MMP-2** progressively decreased when HCE cells were cultured on dishes coated with increasing densities of fibronectin (FN), which promote both **integrin** binding and cell spreading. Conversely, the highest levels of active **MMP-2** were detected in round cells cultured on low FN. When measured 24 h after plating, this increase in active **MMP-2** was accompanied by a concomitant rise in mRNA and protein levels for the membrane-type 1 **MMP (MT1-MMP)**, which catalyzes the **cleavage** of proMMP-2. To determine whether proMMP-2 processing was controlled directly by **integrin** binding or indirectly by associated changes in cell shape, round cells on low FN were allowed to bind to microbeads (4.5 μ m diameter) coated with a synthetic RGD peptide or FN; these induce local **integrin** receptor clustering without altering cell shape. ProMMP-2 activation was significantly decreased within minutes after bead binding in these round cells, prior to any detectable changes in expression of **MT1-MMP**, whereas binding of beads coated with control ligands for other transmembrane receptors had no effect. This inhibitory effect was mimicked by microbeads coated with activating antibodies against **alpha.V β 3** and **β 1 integrins**, suggesting a direct role for these cell-surface ECM receptors in modulating proMMP-2 activation. Similar inhibition of proMMP-2 processing by **integrin** binding, independent of cell spreading, was demonstrated in cells that were cultured on small, microfabricated adhesive islands that prevented cell spreading while presenting a high FN d. directly beneath the cell. Interestingly, when spread cells were induced to round up from within by disrupting their actin cytoskeleton using cytochalasin D, proMMP-2 processing did not change at early times; however, increases in **MT1-MMP** mRNA levels and **MMP-2** activation could be detected by 18 h. Taken together, these results suggest the existence of two phases of **MMP-2** regulation in HCE cells when they adhere to ECM: (1) a quick response, in which **integrin** clustering alone is sufficient to rapidly inhibit processing of proMMP-2 and (2) a slower response, in which subsequent cell spreading and changes in the actin cytoskeleton feed back to decrease expression of **MT1-MMP** mRNA and, thereby, further suppress cellular proteolytic activity.

ST MMP2 capillary endothelium extracellular **matrix** adhesion;
integrin actin cytoskeleton **matrix**
metalloproteinase MTMMP1 cell shape **angiogenesis**

IT Spreading
(biol.; **integrins** and actin cytoskeleton in
adhesion-dependent control of **matrix**
metalloproteinase-2 activation by downregulating membrane-type
1 **metalloproteinase** in human capillary endothelial cells)

IT Capillary vessel
(endothelium; **integrins** and actin cytoskeleton in

- adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT Cell adhesion
Cell morphology
Cytoskeleton
Extracellular **matrix**
(**integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT **Angiogenesis**
(**integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells in relation to)
- IT **Integrins**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(α v.beta.3; **integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT **Integrins**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(β 1; **integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT 161384-17-4, **Membrane-type 1 matrix metalloproteinase**
RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(**integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT 148969-98-6, Promatrix **metalloproteinase-2**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(**integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- IT 146480-35-5, **Matrix metalloproteinase-2**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative); PROC (Process)
(**integrins** and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)
- RE.CNT 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
- (1) Ailenberg, M; Biochem J 1996, V313, P879 HCAPLUS
 - (2) Antonios, T; Hypertension 1999, V33, P998 MEDLINE
 - (3) Atkinson, S; J Biol Chem 1995, V270, P30479 HCAPLUS
 - (4) Ausprunk, D; Microvasc Res 1977, V14, P53 MEDLINE
 - (5) Banda, M; Prog Clin Biol Res 1988, V266, P117 MEDLINE
 - (6) Braunhut, S; J Biol Chem 1994, V269, P13472 HCAPLUS

- (7) Brooks, P; Cell 1994, V79, P1157 HCAPLUS
- (8) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (9) Cao, J; J Biol Chem 1995, V270, P801 HCAPLUS
- (10) Chen, C; Biotechnol Prog 1998, V14, P356 HCAPLUS
- (11) Chen, C; Science 1997, V276, P1425 HCAPLUS
- (12) Drake, C; J Cell Sci 1995, V108, P2655 HCAPLUS
- (13) Ellerbroek, S; Cancer Res 1999, V59, P1635 HCAPLUS
- (14) Folkman, J; Forum (Genova) 1999, V9, P59 MEDLINE
- (15) Folkman, J; Nat Med 1995, V1, P27 HCAPLUS
- (16) Fujii, S; J Cardiovasc Risk 1997, V4, P67 MEDLINE
- (17) Garcia, A; Mol Biol Cell 1999, V10, P785 HCAPLUS
- (18) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (19) Hibbs, M; J Biol Chem 1985, V260, P2493 HCAPLUS
- (20) Huang, S; Mol Biol Cell 1998, V9, P3179 HCAPLUS
- (21) Ingber, D; Cell 1989, V58, P803 HCAPLUS
- (22) Ingber, D; Endocrinology 1986, V119, P1768 HCAPLUS
- (23) Ingber, D; J Cell Biol 1990, V110, P1803 HCAPLUS
- (24) Ingber, D; Lab Invest 1988, V59, P44 HCAPLUS
- (25) Ingber, D; Proc Natl Acad Sci USA 1990, V87, P3579 HCAPLUS
- (26) Itoh, T; Cancer Res 1998, V58, P1048 HCAPLUS
- (27) Johnson, M; J Cell Physiol 1994, V160, P194 HCAPLUS
- (28) Kadono, Y; Cancer Res 1998, V58, P2240 HCAPLUS
- (29) Kheradmand, F; Science 1998, V280, P898 HCAPLUS
- (30) Maragoudakis, M; Microvasc Res 1995, V50, P215 HCAPLUS
- (31) Meredith, J; Mol Biol Cell 1993, V4, P953 HCAPLUS
- (32) Miyamoto, S; J Cell Biol 1995, V131, P791 HCAPLUS
- (33) Moses, M; Science 1990, V248, P1408 HCAPLUS
- (34) Moses, M; Stem Cells 1997, V15, P180 HCAPLUS
- (35) Murphy, A; J Cell Physiol 1993, V157, P351 HCAPLUS
- (36) Nagase, H; Cell Res 1998, V8, P179 MEDLINE
- (37) Overall, C; J Biol Chem 1990, V265, P21141 HCAPLUS
- (38) Partridge, C; Am J Physiol 1997, V272, PL813 HCAPLUS
- (39) Plopper, G; Mol Biol Cell 1995, V6, P1349 HCAPLUS
- (40) Re, F; J Cell Biol 1994, V127, P537 HCAPLUS
- (41) Sarkissian, M; J Immunol 1999, V162, P1772 HCAPLUS
- (42) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (43) Schwartz, M; J Biol Chem 1994, V269, P11133 HCAPLUS
- (44) Schwartz, M; Proc Natl Acad Sci USA 1991, V88, P7849 HCAPLUS
- (45) Schwartz, M; published erratum appears in J Biol Chem 1995, V270(50), P30235 HCAPLUS
- (46) Short, S; Mol Biol Cell 1998, V9, P1969 HCAPLUS
- (47) Stanton, H; J Cell Sci 1998, V111, P2789 HCAPLUS
- (48) Teti, A; Int J Cancer 1998, V77, P82 HCAPLUS
- (49) Tomasek, J; J Biol Chem 1997, V272, P7482 HCAPLUS
- (50) Werb, Z; APMIS 1999, V107, P11 HCAPLUS
- (51) Werb, Z; Cell 1997, V91, P439 HCAPLUS
- (52) Werb, Z; J Cell Biol 1989, V109, P877 HCAPLUS
- (53) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (54) Wu, X; J Cell Biol 1998, V143, P241 HCAPLUS
- (55) Yu, M; FEBS Lett 1997, V412, P568 HCAPLUS

IT 161384-17-4, Membrane-type 1

matrix metalloproteinase

RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process) (integrins and actin cytoskeleton in adhesion-dependent control of **matrix metalloproteinase-2** activation by downregulating membrane-type 1 **metalloproteinase** in human capillary endothelial cells)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 9 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2000:435713 HCAPLUS
 DN 133:308362
 ED Entered STN: 29 Jun 2000
 TI Expression of **integrin α v β 3** correlates with
 activation of **membrane-type matrix**
metalloproteinase-1 (MT1-MMP) and
matrix metalloproteinase-2 (MMP-2) in human
 melanoma cells in vitro and in vivo
 AU Hofmann, Uta B.; Westphal, Johan R.; Van Kraats, Annemieke A.; Ruiter,
 Dirk J.; Van Muijen, Goos N. P.
 CS Department of Pathology, University Hospital, Nijmegen, 6500 HB, Neth.
 SO International Journal of Cancer (2000), 87(1), 12-19
 CODEN: IJCNW; ISSN: 0020-7136
 PB Wiley-Liss, Inc.
 DT Journal
 LA English
 CC 14-1 (Mammalian Pathological Biochemistry)
 AB Activation of **matrix metalloproteinase-2 (MMP**
-2) is mediated by binding to the complex of **membrane-**
type matrix metalloproteinase-1 (
MT1-MMP) with tissue inhibitor of **MMP-2**
(TIMP-2) on the cell surface. Binding of **MMP-2** to
integrin α v β 3 has been implicated in
 presenting activated **MMP-2** on the cell surface of invasive
 cells, but interactions with the **MT1-MMP-TIMP-2** system
 have not been considered. Therefore, we studied the expression and
 interaction of **MT1-MMP**, **MMP-2** and **TIMP-2** in
 the α v β 3-neg. melanoma cell line BLM and in its
 β 3-transfected, α v β 3-expressing counterpart
 BLM- β 3, both on cell lines and in xenografts. Total expression
 levels of **MMP-2**, **MT1-MMP** and **TIMP-2** did not
 differ markedly between the α v β 3-neg. and
 α .v β 3-pos. cells. Remarkable differences, however, exist
 in the presence of active **MMP-2** and **MT1-MMP**.
 Zymog. on cell lysates revealed that active **MMP-2** was restricted
 to α v β 3-pos. cell line and clearly accumulated in
 xenografts derived from the BLM- β 3 cells, confirming the relevance of
 this **integrin** for **MMP-2** function. Western blotting of
 cell lysates showed that processing of pro**MT1-MMP** to the
 activated form was enhanced in BLM- β 3. The ratio of active and
 inactive **MT1-MMP** was 3-fold higher in the
 β 3-transfectants. Immunofluorescence double-labeling followed by
 confocal laser microscopy showed co-localization of **MT1-**
MMP and α v β 3 on BLM- β 3 cells. In
 xenografts from BLM- β 3 cells, active **MT1-MMP** was
 markedly increased. Our results demonstrate that expression of
 α .v β 3 in cell lines and xenografts was accompanied by an
 accumulation of active **MT1-MMP** and **MMP-2**.
 Furthermore, **MT1-MMP** and α v β 3 are
 co-localized on the cell membrane of tumor cells. These findings suggest
 that activated **MT1-MMP** co-localized with
 α .v β 3 may be involved in activation of α .v β 3-bound **MMP-2**.
 ST **integrin matrix metalloproteinase melanoma**
 cell membrane
 IT Cell membrane
 Melanoma
 (**integrin α v β 3** expression correlates
 with activation of **membrane-type matrix**
metalloproteinase-1 and **matrix**
metalloproteinase-2 in human melanoma cells)

IT **Integrins**
RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
BIOL (Biological study); OCCU (Occurrence)
(α v.beta.3; **integrin**
 α v.beta.3 expression correlates with activation
of **membrane-type matrix**
metalloproteinase-1 and **matrix**
metalloproteinase-2 in human melanoma cells)

IT 124861-55-8, TIMP-2 146480-35-5, **Matrix**
metalloproteinase-2 161384-17-4, **Membrane-**
type matrix metalloproteinase-1
RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
BIOL (Biological study); OCCU (Occurrence)
(**integrin** α v β 3 expression correlates
with activation of **membrane-type matrix**
metalloproteinase-1 and **matrix**
metalloproteinase-2 in human melanoma cells)

RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Birkedal Hansen, H; Crit Rev Oral biol Med 1993, V4, P197 MEDLINE
(2) Brooks, P; Cell 1996, V85, P683 HCAPLUS
(3) Butler, G; J biol Chem 1998, V273, P871 HCAPLUS
(4) Cao, J; J biol Chem 1996, V271, P30174 HCAPLUS
(5) Danen, E; Biochem Biophys Res Commun 1996, V226, P75 HCAPLUS
(6) Ellerbroek, S; Cancer Res 1999, V59, P1635 HCAPLUS
(7) Hofmann, U; Brit J Cancer 1999, V81, P774 HCAPLUS
(8) Hsu, M; Amer J Pathol 1998, V153, P1435 HCAPLUS
(9) Hynes, R; Cell 1992, V69, P11 HCAPLUS
(10) Kurschat, P; J biol Chem 1999, V274, P21056 HCAPLUS
(11) Lehti, K; Biochem J 1998, V334, P345 HCAPLUS
(12) Ohuchi, E; J biol Chem 1997, V272, P2446 HCAPLUS
(13) Okada, A; Proc nat Acad Sci (Wash) 1995, V92, P2730 HCAPLUS
(14) Okumura, Y; FEBS Lett 1997, V402, P181 HCAPLUS
(15) Pei, D; J biol Chem 1996, V271, P9135 HCAPLUS
(16) Sato, H; FEBS Lett 1996, V393, P101 HCAPLUS
(17) Sato, H; Nature 1994, V370, P61 HCAPLUS
(18) Stanton, H; J Cell Sci 1998, V111, P2789 HCAPLUS
(19) Strongin, A; J biol Chem 1995, V270, P5331 HCAPLUS
(20) van Muijen, G; Clin Exp Metastasis 1991, V9, P259 MEDLINE
(21) Yamamoto, M; Cancer Res 1996, V56, P384 HCAPLUS
(22) Zucker, S; J biol Chem 1998, V273, P1216 HCAPLUS

IT 161384-17-4, **Membrane-type matrix**
metalloproteinase-1
RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
BIOL (Biological study); OCCU (Occurrence)
(**integrin** α v β 3 expression correlates
with activation of **membrane-type matrix**
metalloproteinase-1 and **matrix**
metalloproteinase-2 in human melanoma cells)

RN 161384-17-4 HCAPLUS
CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 10 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2000:203347 HCAPLUS
DN 133:118149
ED Entered STN: 30 Mar 2000
TI Functional activation of **integrin** α v β 3 in
tumor cells expressing **membrane-type 1**
matrix metalloproteinase
AU Deryugina, Elena I.; Bourdon, Mario A.; Jungwirth, Karli; Smith, Jeffrey
W.; Strongin, Alex Y.

CS La Jolla Institute for Experimental Medicine, La Jolla, CA, 92037, USA
 SO International Journal of Cancer (2000), 86(1), 15-23
 CODEN: IJCNAW; ISSN: 0020-7136
 PB Wiley-Liss, Inc.
 DT Journal
 LA English
 CC 14-1 (Mammalian Pathological Biochemistry)
 AB **Matrix metalloproteinases (MMPs)** and **integrins** have been implicated in a variety of processes involved in tumor progression. To evaluate the individual roles of **integrin α v β 3** and **membrane-type 1 matrix metalloproteinase (MT1-MMP)**, as well as the effects of their joint expression on tumor cell functions, MCF7 breast carcinoma cells were transfected stably with either the **MT1-MMP**, the **β 3 integrin subunit** or both **MT1-MMP** and **β 3 cDNAs**. **MT1-MMP** expression is accompanied by the functional activation of **integrin α v β 3**, thereby increasing vitronectin-mediated adhesion and migration of MCF7 cells transfected with **MT1-MMP** and **integrin α v β 3**. **MT1-MMP**-dependent functional activation of **α v β 3** correlates with modification(s) of the **β 3 subunit**, including its higher **electrophoretic** mobility and affected the LM609-binding site. MCF7 cells jointly expressing **MT1-MMP** and **α v β 3** were the most efficient in adhesion to the **recombinant C-terminal domain of MMP-2** as well as in generating soluble and cell surface associated mature **MMP-2 enzyme**. These findings suggest a mechanism of selective docking of **MMP-2** at tumor cell surfaces, specifically at the sites that include **MT1-MMP** and activated **integrin α v β 3**. These mechanisms may provide a link between spatial regulation of focal proteolysis by the cell surface associated **MMPs** and the regulation of **integrin-mediated motility** of tumor cells.

ST **integrin alphavbeta3 matrix metalloproteinase**
 1 cancer

IT Animal cell line
 (MCF-7; functional activation of **integrin α v β 3** in tumor cells expressing **membrane-type 1 matrix metalloproteinase**)

IT Mammary gland
 (carcinoma; functional activation of **integrin α v β 3** in tumor cells expressing **membrane-type 1 matrix metalloproteinase**)

IT Vitronectin
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (functional activation of **integrin α v β 3** in tumor cells expressing **membrane-type 1 matrix metalloproteinase**)

IT **Integrins**
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (**α v.beta.3**; functional activation of **integrin α v.beta.3** in tumor cells expressing **membrane-type 1 matrix metalloproteinase**)

IT 161384-17-4, **Membrane-type 1 matrix metalloproteinase**
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(functional activation of **integrin α v β 3**
in tumor cells expressing **membrane-type 1**
matrix metalloproteinase)

IT 146480-35-5, **Matrix metalloproteinase 2**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
(Biological study); PROC (Process)
(functional activation of **integrin α v β 3**
in tumor cells expressing **membrane-type 1**
matrix metalloproteinase)

RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (2) Brooks, P; Cell 1998, V92, P391 HCAPLUS
- (3) Cheresch, D; Cell 1989, V57, P59 HCAPLUS
- (4) Delcommenne, M; J Biol Chem 1995, V270, P26794 HCAPLUS
- (5) Deryugina, E; Cancer Res 1998, V58, P3743 HCAPLUS
- (6) Deryugina, E; Hybridoma 1996, V15, P279 HCAPLUS
- (7) Deryugina, E; J Cell Sci 1997, V110, P2473 HCAPLUS
- (8) Ginsberg, M; Curr Opin Cell Biol 1992, V4, P766 HCAPLUS
- (9) Hughes, P; Trends Cell Biol 1998, V8, P359 HCAPLUS
- (10) Lin, E; J Biol Chem 1997, V272, P23912 HCAPLUS
- (11) Menashi, S; Int J Cancer 1998, V75, P259 HCAPLUS
- (12) Nakahara, H; Proc Natl Acad Sci USA 1997, V94, P7959 HCAPLUS
- (13) Pelletier, A; J Biol Chem 1996, V271, P1364 HCAPLUS
- (14) Ruoslahti, E; Tumor Biol 1996, V17, P117 MEDLINE
- (15) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (16) Seiki, M; APMIS 1999, V107, P137 HCAPLUS
- (17) Strongin, A; J Biol Chem 1993, V268, P14033 HCAPLUS
- (18) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (19) Takagi, J; J Biol Chem 1997, V272, P19794 HCAPLUS
- (20) Varner, J; Curr Opin Cell Biol 1996, V8, P724 HCAPLUS
- (21) Wayner, E; J Cell Biol 1991, V113, P919 HCAPLUS

IT 161384-17-4, **Membrane-type 1**
matrix metalloproteinase
RL: BAC (Biological activity or effector, except adverse); BPR (Biological
process); BSU (Biological study, unclassified); BIOL (Biological study);
PROC (Process)
(functional activation of **integrin α v β 3**
in tumor cells expressing **membrane-type 1**
matrix metalloproteinase)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 11 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:9675 HCAPLUS

DN 132:135328

ED Entered STN: 06 Jan 2000

TI Role of **membrane-type matrix**
metalloproteinase 1 (MT-1-

MMP), **MMP-2**, and its inhibitor in nephrogenesis

AU Kanwar, Yashpal S.; Ota, Kosuke; Yang, Qiwei; Wada, Jun; Kashiwara, Naoki;
Tian, Yufeng; Wallner, Elisabeth I.

CS Department of Pathology, Northwestern University Medical School, Chicago,
IL, 60611, USA

SO American Journal of Physiology (1999), 277(6, Pt. 2), F934-F947
CODEN: AJPHAP; ISSN: 0002-9513

PB American Physiological Society

DT Journal

LA English

CC 13-3 (Mammalian Biochemistry)

AB Extracellular **matrix** (ECM) proteins, their **integrin**

receptors, and **matrix metalloproteinases (MMPs)**, the ECM-degrading enzymes, are believed to be involved in various biol. processes, including embryogenesis. In the present study, we investigated the role of membrane type **MMP**, **MT-1-**

MMP, an activator pro-**MMP-2**, in metanephric development.

Also, its relationship with **MMP-2** and its inhibitor, **TIMP-2**, was studied. Since mRNAs of **MT-1-MMP** and

MMP-2 are resp. expressed in the ureteric bud epithelia and mesenchyme, they are ideally suited for juxtacrine/paracrine interactions during renal development. Northern blot analyses revealed a single

.apprx.4.5-kb mRNA transcript of **MT-1-MMP**,

and its expression was developmentally regulated. Inclusion of **MT**

-1-MMP antisense oligodeoxynucleotide (ODN) in the

culture media induced dysmorphogenetic changes in the embryonic

metanephros. **MMP-2** antisense ODN also induced similar changes,

but they were relatively less; on the other hand **TIMP-2** antisense ODN

induced a mild increase in the size of explants. Concomitant exposure of

MT-1-MMP and **MMP-2** antisense ODNs

induced profound alterations in the metanephros. Treatment of **TIMP-2**

antisense ODN to metanephros exposed to **MT-1-**

MMP/MMP-2 antisense notably restored the morphol. of the

explants. Specificity of the **MT-1-MMP**

antisense ODN was reflected in the selective decrease in its mRNA and

protein expression. The **MT-1-MMP** antisense

ODN also resulted in a failure in the activation of pro-**MMP-2** to

MMP-2. These findings suggest that the trimacromol. complex of

MT-1-MMP:MMP-2:TIMP-2 modulates the

organogenesis of the metanephros, conceivably by mediating

paracrine/juxtacrine epithelial:mesenchymal interactions.

ST **matrix metalloproteinase** TIMP metanephros kidney
embryogenesis; **MMP** MTMMP1 nephrogenesis kidney epithelium
mesenchyme

IT Embryo, animal
(embryogenesis; **membrane-type matrix**
metalloproteinase 1 and **MMP-2** and its
inhibitor in nephrogenesis)

IT Kidney
(epithelium, ureteric bud; **membrane-type**
matrix metalloproteinase 1 and **MMP**
-2 and its inhibitor in nephrogenesis)

IT Embryo, animal
(fetus; **membrane-type matrix**
metalloproteinase 1 and **MMP-2** and its
inhibitor in nephrogenesis)

IT Extracellular **matrix**
Morphogenesis, animal
Newborn

(**membrane-type matrix**
metalloproteinase 1 and **MMP-2** and its
inhibitor in nephrogenesis)

IT Kidney
(mesenchyme, ureteric bud; **membrane-type**
matrix metalloproteinase 1 and **MMP**
-2 and its inhibitor in nephrogenesis in relation to)

IT Kidney
(metanephros; **membrane-type matrix**
metalloproteinase 1 and **MMP-2** and its
inhibitor in nephrogenesis)

IT 124861-55-8, **TIMP-2** 146480-35-5, **Matrix**
metalloproteinase 2 161384-17-4, **Membrane-**
type matrix metalloproteinase 1

RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study,

unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(**membrane-type matrix**
metalloproteinase 1 and MMP-2 and its
inhibitor in nephrogenesis)

IT 148969-98-6, Pro-MMP-2

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
(Biological study); PROC (Process)

(**membrane-type matrix**
metalloproteinase 1 and MMP-2 and its
inhibitor in nephrogenesis)

RE.CNT 90 THERE ARE 90 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Adamson, E; Dev Genet 1993, V14, P159 HCAPLUS
- (2) Alexander, C; Development 1996, V122, P1723 HCAPLUS
- (3) Azzam, H; J Natl Cancer Inst 1993, V85, P1758 HCAPLUS
- (4) Bernfield, M; Ciba Found Symp 1984, V108, P179 HCAPLUS
- (5) Birkedal-Hansen, H; Crit Rev Oral Biol Med 1993, V4, P197 MEDLINE
- (6) Bode, W; Nature 1992, V358, P164 HCAPLUS
- (7) Brenner, C; Genes Dev 1989, V3, P848 HCAPLUS
- (8) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (9) Brown, P; Cancer Res 1990, V50, P6184 HCAPLUS
- (10) Brown, P; Kidney Int 1993, V43, P163 HCAPLUS
- (11) Cao, J; J Biol Chem 1995, V270, P801 HCAPLUS
- (12) Cazenave, C; Nucleic Acids Res 1989, V17, P4255 HCAPLUS
- (13) Chirgwin, J; Biochemistry 1979, V18, P5294 HCAPLUS
- (14) Chomczynski, P; Anal Biochem 1987, V162, P156 HCAPLUS
- (15) Clapp, W; Renal Pathology 1994, P3
- (16) Corcoran, M; Enzyme Protein 1996, V49, P7 HCAPLUS
- (17) Cunha, G; Cancer Suppl 1994, V74, P1030 MEDLINE
- (18) DeClerck, Y; Cancer Res 1992, V52, P701 HCAPLUS
- (19) Ekblom, P; The Kidney 1992, P475
- (20) Fukuda, Y; Development 1988, V103, P259 HCAPLUS
- (21) Gilles, C; Int J Cancer 1996, V65, P209 MEDLINE
- (22) Gilliland, G; Proc Natl Acad Sci USA 1990, V87, P2725 HCAPLUS
- (23) Grobstein, C; Science 1965, V150, P626 MEDLINE
- (24) Hayakawa, T; Matrix Suppl 1992, V1, P344 MEDLINE
- (25) Heussen, C; Anal Biochem 1980, V102, P196 HCAPLUS
- (26) Howlett, A; Epithelial Cell Biol 1993, V2, P79 MEDLINE
- (27) Imai, K; Cancer Res 1996, V56, P2707 HCAPLUS
- (28) Kanwar, Y; J Clin Invest 1996, V98, P2478 HCAPLUS
- (29) Kanwar, Y; Kidney Int 1995, V48, P1646 HCAPLUS
- (30) Kanwar, Y; Kidney Int 1997, V52, P589 HCAPLUS
- (31) Kinoh, H; J Cell Sci 1996, V109, P953 HCAPLUS
- (32) Kinoshita, T; Cancer Res 1996, V56, P2535 HCAPLUS
- (33) Kleiner, D; Anal Biochem 1994, V218, P325 HCAPLUS
- (34) Kleiner, D; Curr Opin Cell Biol 1993, V5, P891 HCAPLUS
- (35) Kleinman, H; Am J Respir Cell Mol Biol 1993, V8, P238 HCAPLUS
- (36) Lallier, T; Science 1993, V259, P692 HCAPLUS
- (37) Lelongt, B; Dev Biol 1988, V128, P256 HCAPLUS
- (38) Lelongt, B; J Cell Biol 1997, V136, P1363 HCAPLUS
- (39) Levy, A; Cancer Res 1991, V51, P439 HCAPLUS
- (40) Liu, Z; Dev Biol 1996, V178, P133 HCAPLUS
- (41) Llano, E; Biochemistry 1997, V36, P15101 HCAPLUS
- (42) MacDougall, J; Cancer Metastasis Rev 1995, V14, P351 HCAPLUS
- (43) Massova, I; FASEB J 1998, V12, P1075 HCAPLUS
- (44) Matrisian, L; Bioessays 1992, V14, P455 HCAPLUS
- (45) Matrisian, L; Curr Top Dev Biol 1990, V24, P219 HCAPLUS
- (46) Mauviel, A; J Cell Biochem 1993, V53, P288 HCAPLUS
- (47) Monteagudo, C; Am J Pathol 1990, V136, P585 MEDLINE
- (48) Muller, U; Cell 1997, V88, P603 HCAPLUS
- (49) Nagase, H; Cell Res 1998, V8, P179 MEDLINE
- (50) Nagase, H; Matrix Suppl 1992, V1, P237 MEDLINE
- (51) Nakanishi, Y; Dev Biol 1986, V113, P201 HCAPLUS

- (52) Ota, K; Kidney Int 1998, V54, P131 HCAPLUS
- (53) Pei, D; J Biol Chem 1996, V271, P9135 HCAPLUS
- (54) Pei, D; Nature 1995, V375, P244 HCAPLUS
- (55) Poulson, R; Am J Pathol 1992, V141, P389 MEDLINE
- (56) Puente, X; Cancer Res 1996, V56, P944 HCAPLUS
- (57) Pyke, C; Am J Pathol 1993, V142, P359 HCAPLUS
- (58) Rankin, C; Kidney Int 1996, V50, P835 HCAPLUS
- (59) Reponen, P; J Biol Chem 1992, V267, P7856 HCAPLUS
- (60) Sakurai, H; Am J Physiol 1997, V273, PF139
- (61) Sakurai, H; Am J Physiol 1997, V273, PF463 HCAPLUS
- (62) Sakurai, H; Kidney Int 1998, V54, P14 HCAPLUS
- (63) Sakurai, H; Renal Physiol V42
- (64) Sakurai, H; Renal Physiol V42
- (65) Sanger, F; Proc Natl Acad Sci USA 1977, V74, P5463 HCAPLUS
- (66) Sato, H; FEBS Lett 1996, V393, P101 HCAPLUS
- (67) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (68) Saxen, L; Organogenesis of the Kidney 1987
- (69) Shimizu, S; Gene 1992, V114, P291 HCAPLUS
- (70) Stetler-Stevenson, W; Am J Pathol 1996, V148, P1345 HCAPLUS
- (71) Stetler-Stevenson, W; J Biol Chem 1989, V264, P1353 HCAPLUS
- (72) Stetler-Stevenson, W; J Biol Chem 1989, V264, P17374 HCAPLUS
- (73) Stetler-Stevenson, W; J Biol Chem 1990, V265, P13933 HCAPLUS
- (74) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (75) Sympton, C; J Cell Biol 1994, V125, P681 HCAPLUS
- (76) Takino, T; Gene 1995, V155, P293 HCAPLUS
- (77) Takino, T; J Biol Chem 1995, V270, P23013 HCAPLUS
- (78) Tanney, D; Dev Dyn 1998, V213, P121 HCAPLUS
- (79) Thomasset, N; Am J Pathol 1998, V153, P457 HCAPLUS
- (80) Tokunaga, K; Nucleic Acids Res 1986, V14, P2829 HCAPLUS
- (81) Vassali, J; Nature 1994, V370, P14
- (82) Wada, J; J Cell Biol 1996, V132, P1161 HCAPLUS
- (83) Wallner, E; Am J Physiol 1998, V275, PF467 HCAPLUS
- (84) Wallner, E; Renal Physiol V44
- (85) Warburton, D; Am J Respir Cell Mol Biol 1993, V9, P5 MEDLINE
- (86) Ward, R; Biochim Biophys Acta 1991, V1079, P242 HCAPLUS
- (87) Werb, Z; Matrix Suppl 1992, V1, P337 MEDLINE
- (88) Wessells, N; Dev Biol 1968, V18, P294 HCAPLUS
- (89) Will, H; Eur J Biochem 1995, V231, P602 HCAPLUS
- (90) Witty, J; Mol Biol Cell 1995, V6, P1287 HCAPLUS

IT 161384-17-4, **Membrane-type matrix**

metalloproteinase 1

RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)

(**membrane-type matrix**

metalloproteinase 1 and MMP-2 and its inhibitor in nephrogenesis)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 12 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1999:672439 HCAPLUS

DN 132:2764

ED Entered STN: 22 Oct 1999

TI Fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and its activator MT1-MMP (MMP-14) by human T lymphocyte cell lines. A process repressed through RAS/MAP kinase signaling pathways

AU Esparza, Jordi; Vilardell, Carme; Calvo, Javier; Juan, Manel; Vives, Jordi; Urbano-Marquez, Alvaro; Yague, Jordi; Cid, Maria C.

CS Departments of Internal Medicine and Immunology, Hospital Clinic, IDIBAPS
(Institut d'Investigacions Biomediques August Pi i Sunyer), University of
Barcelona, Barcelona, Spain

SO Blood (1999), 94(8), 2754-2766
CODEN: BLOOAW; ISSN: 0006-4971

PB W. B. Saunders Co.

DT Journal

LA English

CC 15-10 (Immunochemistry)

AB T-lymphocyte migration into tissues requires focal degradation of the basement
membrane. Here, the authors show that transient adherence to fibronectin
induces the production of activated forms of **matrix**
metalloproteinase-2 (MMP-2) and **MMP-9**, as well
as downregulation of tissue inhibitor of **metalloproteinase-2**
(TIMP-2) by T-cell lines. **MMP-2** activation was likely achieved
by inducing a coordinated expression of **membrane-type**
matrix metalloproteinase-1 (MMP-
14), a major activator of **MMP-2**. Blocking
monoclonal antibodies against $\alpha 4$, **.alpha**
.5, and αv **integrins** strongly reduced
MMP-2 and **MMP-9** production induced by fibronectin.
Disrupting actin cytoskeleton organization by cytochalasin D strongly
enhanced fibronectin-induced **MMP-2** and **MMP-9**
expression. Inhibiting Src tyrosine kinases with herbimycin A reduced
MMP-2 and **MMP-9** production with no effect on cell
attachment. By contrast, G-protein inhibition by pertussis toxin, or
transfection with a dominant neg. mutant of Ha-Ras strongly increased
fibronectin-induced **MMP-2** and **MMP-9**. Inhibition of
PI3 kinase, MAP kinase (MEK1), or p38 MAP kinase by wortmannin, PD 98059,
or SB 202190, resp., strongly promoted fibronectin-induced **MMP2** and
MMP-9. Cells at high d. lost their ability to synthesize
MMP-2 and **MMP-9** in response to fibronectin and
MMP expression was restored by transfection with a dominant-neg.
mutant of Ha-Ras or by treatment with wortmannin, PD 98059, or SB 202190.
Apparently, adhesion to fibronectin transduces both stimulatory (through
Src-type tyrosine kinases) and inhibitory signals (through Ras/MAPKinase
signaling pathways) for **MMP-2** and **MMP-9** expression by
T cells and their relative predominance is regulated by addnl. stimuli
related to cell adhesion, motility, and growth.

ST fibronectin gelatinase T cell RAS MAP kinase signaling inflammation

IT Cell adhesion
Cell migration
Inflammation
Signal transduction, biological
T cell (lymphocyte)
(fibronectin upregulates gelatinase B (**MMP-9**) and induces
coordinated expression of gelatinase A (**MMP-2**) and activator
MT1-MMP (MMP-14) by human T
cells, a process repressed via RAS/MAP kinase signaling)

IT Fibronectins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological
study, unclassified); BIOL (Biological study)
(fibronectin upregulates gelatinase B (**MMP-9**) and induces
coordinated expression of gelatinase A (**MMP-2**) and activator
MT1-MMP (MMP-14) by human T
cells, a process repressed via RAS/MAP kinase signaling)

IT Ras proteins
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
(Biological study); PROC (Process)
(p21c-Ha-ras; fibronectin upregulates gelatinase B (**MMP-9**)
and induces coordinated expression of gelatinase A (**MMP-2**)
and activator **MT1-MMP (MMP-14)**
by human T cells, a process repressed via RAS/MAP kinase signaling)

- IT G proteins (guanine nucleotide-binding proteins)
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (pertussis toxin-sensitive; fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- IT **Integrins**
 RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
 (α v; fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- IT **Integrins**
 RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
 (α 4; fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- IT **Integrins**
 RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
 (α 5; fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- IT 115926-52-8, Phosphatidylinositol-3 kinase 141349-89-5 142805-58-1, MEK-1 kinase 165245-96-5, p38 Kinase
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- IT 124861-55-8, TIMP-2 146480-35-5, MMP 2 146480-36-6, MMP 9 161384-17-4, MT1-MMP
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)
- RE.CNT 61 THERE ARE 61 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Baffetti, L; J Biol Chem 1998, V273, P143
- (2) Basbaum, C; Curr Opin Cell Biol 1996, V8, P731 HCAPLUS
- (3) Bianchi, E; Immunol Today 1997, V18, P586 HCAPLUS
- (4) Birkedal-Hansen, H; Curr Opin Cell Biol 1995, V7, P728 HCAPLUS
- (5) Butcher, E; Science 1996, V272, P60 HCAPLUS
- (6) Cai, H; Mol Cell Biol 1990, V10, P5314 HCAPLUS
- (7) Cazorla, M; J Pathol 1998, V186, P144 HCAPLUS
- (8) Cid, M; Curr Opin Rheumatol 1996, V8, P1 MEDLINE
- (9) Cid, M; Eur J Immunol 1994, V24, P1377 HCAPLUS
- (10) Cid, M; J Clin Invest 1994, V93, P17 HCAPLUS
- (11) Clark, E; J Cell Biol 1998, V142, P573 HCAPLUS
- (12) Clark, E; Science 1995, V268, P233 HCAPLUS
- (13) Collier, I; Genomics 1991, V9, P429 HCAPLUS

- (14) Crabbe, T; Biochemistry 1994, V33, P14419 HCAPLUS
(15) Defilippi, P; Landes Bioscience 1997, P29
(16) Defilippi, P; Landes Bioscience 1997, P29
(17) Gervasi, D; Biochem Biophys Res Commun 1996, V228, P530 HCAPLUS
(18) Goetzl, E; J Immunol 1996, V156, P1 HCAPLUS
(19) Gum, R; J Biol Chem 1996, V271, P10672 HCAPLUS
(20) Gum, R; Oncogene 1997, V14, P1481 HCAPLUS
(21) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
(22) Hotchin, N; J Cell Biol 1995, V131, P1857 HCAPLUS
(23) Hughes, P; Cell 1997, V88, P521 HCAPLUS
(24) Huhtala, P; J Biol Chem 1990, V265, P11077 HCAPLUS
(25) Huhtala, P; J Cell Biol 1998, V129, P867
(26) Kim, J; Cell 1998, V94, P353 HCAPLUS
(27) King, W; Mol Cell Biol 1996, V17, P4406
(28) Kinoh, H; J Cell Sci 1996, V109, P953 HCAPLUS
(29) Klemke, R; J Cell Biol 1997, V137, P481 HCAPLUS
(30) Knauper, V; J Biol Chem 1996, V271, P17124 MEDLINE
(31) Langholz, O; J Cell Biol 1995, V131, P1903 HCAPLUS
(32) Lauffenburger, D; Cell 1996, V84, P359 HCAPLUS
(33) Laurie, G; J Cell Biol 1982, V95, P340 HCAPLUS
(34) Leppert, D; J Immunol 1995, V154, P4379 HCAPLUS
(35) Lin, T; J Cell Biol 1997, V136, P1385 HCAPLUS
(36) Liotta, L; Cancer Res 1991, V51, PS5054
(37) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
(38) Miyamoto, S; J Cell Biol 1996, V135, P1633 HCAPLUS
(39) Miyamoto, S; Science 1995, V267, P883 HCAPLUS
(40) Moyano, J; J Biol Chem 1997, V272, P24832 HCAPLUS
(41) Piali, L; J Cell Biol 1995, V130, P451 HCAPLUS
(42) Romanic, A; J Cell Biol 1994, V125, P1165 HCAPLUS
(43) Sambrook, J; Molecular Cloning: A Laboratory Manual 1989
(44) Sato, H; J Biol Chem 1993, V268, P23460 HCAPLUS
(45) Sato, H; Nature 1994, V370, P61 HCAPLUS
(46) Sato, T; J Immunol 1995, V155, P2938 HCAPLUS
(47) Schnaper, H; J Cell Physiol 1993, V156, P235 HCAPLUS
(48) Seftor, R; Cancer Res 1993, V53, P3411 HCAPLUS
(49) Shapiro, S; J Biol Chem 1995, V270, P6351 HCAPLUS
(50) Shimizu, Y; FASEB J 1991, V5, P2292 HCAPLUS
(51) Springer, T; Cell 1994, V76, P301 HCAPLUS
(52) Stanton, H; J Cell Science 1998, V111, P2789 HCAPLUS
(53) Stetler-Stevenson, M; Blood 1997, V89, P1708 HCAPLUS
(54) Stetler-Stevenson, W; J Biol Chem 1990, V265, P13933 HCAPLUS
(55) Unemori, E; J Cell Biol 1986, V103, P1021 HCAPLUS
(56) Vuori, K; J Cell Biol 1993, V268, P21459 HCAPLUS
(57) Weeks, B; J Cell Physiol 1993, V157, P644 HCAPLUS
(58) Werb, Z; J Cell Biol 1989, V109, P877 HCAPLUS
(59) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
(60) Xia, M; J Immunol 1996, V156, P160 HCAPLUS
(61) Xie, B; J Biol Chem 1998, V273, P11576 HCAPLUS

IT 161384-17-4, MT1-MMP

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and activator MT1-MMP (MMP-14) by human T cells, a process repressed via RAS/MAP kinase signaling)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 13 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1999:522013 HCAPLUS

DN 132:34121

ED Entered STN: 20 Aug 1999
 TI MMP2 activation by collagen I and concanavalin A in cultured human hepatic stellate cells
 AU Theret, Nathalie; Lehti, Kaisa; Musso, Orlando; Clement, Bruno
 CS Detoxication and Tissue Repair Unit, Universite de Rennes I, Rennes, 35043, Fr.
 SO Hepatology (Philadelphia) (1999), 30(2), 462-468
 CODEN: HPTLD9; ISSN: 0270-9139
 PB W. B. Saunders Co.
 DT Journal
 LA English
 CC 14-7 (Mammalian Pathological Biochemistry)
 AB Fibrosis occurs in most chronic liver injuries and results from changes in the balance between synthesis and degradation of extracellular **matrix** components. In fibrotic livers, there is a markedly increased activity of **matrix metalloproteinase 2 (MMP2)**, a major enzyme involved in extracellular **matrix** remodeling. We have previously shown that hepatic stellate cells secrete latent MMP2 and that MMP2 activation occurs in coculture of hepatic stellate cells and hepatocytes concomitantly with **matrix** deposition. In the present work we investigated the effects of various extracellular **matrix** components and Con A, an inducer of immune-mediated liver injuries, on MMP2 activation in cultured human hepatic stellate cells. Collagen I induced a dose-dependent MMP2 activation, which was not blocked by both actinomycin and cycloheximide. Collagen VI, laminin, and a reconstituted basement membrane (matrigel) were ineffective in inducing activation. Specific antibodies against the **subunits of .alpha .2beta1 integrins**, the major collagen I receptor, induced partial inhibition of MMP2 activation. Treatment of cells with Con A resulted in a marked activation of MMP2 that correlated with the proteolytic processing of **MT1-MMP**, the MMP2 activator, from a Mr=60 kDa toward a Mr=43 kDa polypeptide. Actinomycin and cycloheximide inhibited the MMP2 activation induced by Con A. **Recombinant** tissue inhibitor of **metalloproteinase-2** and the **MMP** inhibitor BB-3103, but not PMSF, blocked MMP2 activation induced by collagen I or Con A, and **MT1-MMP** processing to its Mr=43 kDa form. These results suggest that the accumulation of collagen I may specifically contribute to the remodeling of extracellular **matrix** in fibrotic livers by inducing MMP2 activation.
 ST **metalloproteinase 2 collagen I Con A liver fibrosis**
 IT Basement membrane
 Extracellular **matrix**
 Post-translational processing
 (MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
 IT Laminins
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
 IT Liver, disease
 (fibrosis; MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
 IT Liver, disease
 (injury; MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
 IT Liver
 (stellate cell; MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
 IT Collagens, biological studies
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (type I; MMP2 activation by collagen I and Con A in cultured human

- hepatic stellate cells)
- IT Collagens, biological studies
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(type VI; MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
- IT **Integrins**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
($\alpha 2\beta 1$, subunits; MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
- IT 146480-35-5, Gelatinase A
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
- IT 11028-71-0, Concanavalin A
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)
- IT 161384-17-4, **Proteinase, matrix metallo-, MT-MMP-1**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)

RE.CNT 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Atkinson, S; J Biol Chem 1995, V270, P30479 HCAPLUS
- (2) Barille, S; Blood 1997, V90, P1649 HCAPLUS
- (3) Bell, E; Proc Natl Acad Sci U S A 1979, V76, P1274 HCAPLUS
- (4) Cao, J; J Biol Chem 1995, V270, P801 HCAPLUS
- (5) Cao, J; J Biol Chem 1996, V271, P30174 HCAPLUS
- (6) Carloni, V; Gastroenterology 1996, V110, P1127 HCAPLUS
- (7) Gilles, C; Cancer Res 1998, V58, P5529 HCAPLUS
- (8) Gilles, C; Lab Invest 1997, V76, P651 HCAPLUS
- (9) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (10) Kleinman, H; Biochemistry 1986, V25, P312 HCAPLUS
- (11) Lee, A; Proc Natl Acad Sci U S A 1997, V94, P4424 HCAPLUS
- (12) Lehti, K; Biochem J 1998, V334, P345 HCAPLUS
- (13) Li, L; Exp Cell Res 1997, V232, P322 HCAPLUS
- (14) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
- (15) Loreal, O; Am J Pathol 1993, V143, P538 MEDLINE
- (16) Loreal, O; Gastroenterology 1992, V102, P980 MEDLINE
- (17) Munaut, C; Invasion Metastasis 1995, V15, P169 HCAPLUS
- (18) Overall, C; J Biol Chem 1990, V265, P21141 HCAPLUS
- (19) Seltzer, J; Exp Cell Res 1994, V213, P365 HCAPLUS
- (20) Stanton, H; J Cell Sci 1998, V111, P2789 HCAPLUS
- (21) Takahara, T; Hepatology 1995, V21, P787 HCAPLUS
- (22) Takahara, T; Hepatology 1997, V26, P1521 MEDLINE
- (23) Theret, N; Int J Cancer 1997, V74, P426 HCAPLUS
- (24) Tiegs, G; A J Clin Invest 1992, V90, P196 HCAPLUS
- (25) Tromp, G; Biochem J 1988, V253, P919 HCAPLUS
- (26) Trueb, B; Eur J Biochem 1987, V166, P699 HCAPLUS
- (27) Ueyama, H; Mol Cell Biol 1984, V4, P1073 HCAPLUS
- (28) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (29) Yamamoto, H; Gastroenterology 1997, V112, P1290 HCAPLUS
- (30) Yu, M; Cancer Res 1995, V55, P3272 HCAPLUS
- (31) Yu, M; Clin Exp Metastasis 1998, V16, P185 HCAPLUS

IT 161384-17-4, **Proteinase, matrix metallo-, MT-MMP-1**

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(MMP2 activation by collagen I and Con A in cultured human hepatic stellate cells)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 14 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1999:241796 HCAPLUS

DN 131:42896

ED Entered STN: 20 Apr 1999

TI Ovarian carcinoma regulation of **matrix metalloproteinase**
-2 and **membrane type 1 matrix**
metalloproteinase through $\beta 1$ **integrin**

AU Ellerbroek, Shawn M.; Fishman, David A.; Kearns, Alicia S.; Bafetti, Lisa M.; Stack, M. Sharon

CS Departments of Obstetrics and Gynecology and Cell and Molecular Biology,
Northwestern University Medical School, Chicago, IL, 60611, USA

SO Cancer Research (1999), 59(7), 1635-1641

CODEN: CNREA8; ISSN: 0008-5472

PB AACR Subscription Office

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB Culturing DOV 13 ovarian carcinoma cells on three-dimensional collagen lattice but not on thin-layer collagen induces processing of promatrix **metalloproteinase** (MMP)-2 to a Mr 62,000 form, suggesting that multivalent **integrin** aggregation may participate in **proteinase** regulation. To address the role of collagen-binding **integrins** in this event, the authors treated DOV 13 cells with soluble $\beta 1$ **integrin** antibodies (clones P4C10 or 21C8) or $\beta 1$ **integrin** antibodies immobilized on latex beads to promote **integrin** aggregation. Divalent ligation of $\beta 1$ **integrins** with soluble P4C10 antibodies stimulated expression of pro-MMP-2 and its inhibitor, tissue inhibitor of **metalloproteinase**-2, whereas soluble 21C8 antibodies had no effect. Aggregation of $\beta 1$ **integrins** with immobilized 21C8 or P4C10 antibodies stimulated MMP-dependent pro-MMP-2 activation and accumulation of a Mr 43,000 form of membrane type 1 MMP (MT1-MMP), a cell surface activator of pro-MMP-2, in cell exts. $\beta 1$ **Integrin**-mediated MMP-2 activation required protein synthesis and tyrosine kinase signaling and was reduced by an inhibitor of gene transcription. Treatment of control cells with Con A stimulated MMP-dependent pro-MMP-2 activation and accumulation of Mr 55,000 and 43,000 forms of MT1-MMP in cell exts. Addition of either the MMP inhibitor GM-6001-X or exogenous tissue inhibitor of **metalloproteinase**-2 to Con A-treated cells resulted in loss of the Mr 43,000 form of MT1-MMP and accumulation of the Mr 55,000 form of the enzyme in cell exts., suggesting that the Mr 43,000 form is a product of MMP-dependent Mr 55,000 MT1-MMP proteolysis. Together, these data suggest that $\beta 1$ **integrin** stimulation of pro-MMP-2 activation involves MT1-MMP posttranslational processing and requires multivalent **integrin** aggregation.

ST **matrix metalloproteinase** beta1 **integrin**
ovarian carcinoma

IT Ovary, neoplasm

(carcinoma; ovarian carcinoma regulation of **matrix**
metalloproteinase-2 and **membrane type**
1 matrix metalloproteinase through $\beta 1$

- integrin)**
- IT Neoplasm
(metastasis, ovarian carcinoma; ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin** in relation to adhesion to)
- IT Signal transduction, biological
(ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin**)
- IT Cell adhesion
(ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin** in relation to)
- IT Collagens, biological studies
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(type I; ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin** in relation to adhesion to)
- IT **Integrins**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
($\beta 1$; ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin**)
- IT 146480-35-5, Gelatinase A 148969-98-6, Pro-gelatinase A
161384-17-4, **Membrane type 1 matrix metalloproteinase**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(ovarian carcinoma regulation of **matrix metalloproteinase-2** and **membrane type 1 matrix metalloproteinase** through $\beta 1$ **integrin**)

RE.CNT 45 THERE ARE 45 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Afzal, S; Hum Pathol 1998, V29, P155 HCAPLUS
- (2) Akiyama, T; J Biol Chem 1987, V262, P5592 HCAPLUS
- (3) Auersperg, N; Ovarian Cancer III 1994, P157
- (4) Azzam, H; Cancer Res 1992, V52, P4540 HCAPLUS
- (5) Birkedal-Hansen, H; Crit Rev Oral Biol Med 1993, V4, P197 MEDLINE
- (6) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
- (7) Carter, W; J Cell Biol 1990, V110, P1387 HCAPLUS
- (8) Chintala, S; Cancer Lett 1996, V102, P201
- (9) Corcoran, M; Enzyme Protein 1996, V49, P7 HCAPLUS
- (10) d'Ortho, M; Eur J Biochem 1997, V250, P751 HCAPLUS
- (11) Fishman, D; Invasion Metastasis 1996, V16, P150 HCAPLUS
- (12) Friedl, P; Cancer Res 1997, V57, P2061 HCAPLUS
- (13) Gilles, C; Lab Invest 1997, V76, P651 HCAPLUS
- (14) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (15) Humphries, M; Curr Opin Cell Biol 1996, V8, P632 HCAPLUS
- (16) Kapron-Bras, C; J Biol Chem 1993, V268, P20701 HCAPLUS
- (17) Kinoshita, T; J Biol Chem 1998, V273, P16098 HCAPLUS
- (18) Laemmli, U; Nature (Lond) 1970, V227, P680 HCAPLUS
- (19) Laflamme, S; J Cell Biol 1992, V117, P437 HCAPLUS
- (20) Lafrenie, R; J Cell Biochem 1996, V61, P543 HCAPLUS
- (21) Larjava, H; J Cell Physiol 1993, V157, P190 HCAPLUS
- (22) Lauer, J; Biochemistry 1998, V37, P5279 HCAPLUS

- (23) Lehti, K; Biochem J 1998, V334, P345 HCAPLUS
- (24) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
- (25) Maquoi, E; FEBS Lett 1998, V424, P262 HCAPLUS
- (26) Matsudaira, P; J Biol Chem 1987, V262, P10035 HCAPLUS
- (27) Miyamoto, S; J Cell Biol 1995, V131, P791
- (28) Miyamoto, S; Science (Washington DC) 1995, V267, P883
- (29) Moser, T; Int J Cancer 1994, V56, P552 HCAPLUS
- (30) Moser, T; Int J Cancer 1996, V67, P695 HCAPLUS
- (31) Nagase, H; Biol Chem 1997, V378, P151 HCAPLUS
- (32) Ohuchi, E; J Biol Chem 1997, V272, P2446 HCAPLUS
- (33) Overall, C; J Biol Chem 1997, V272, P21141 HCAPLUS
- (34) Price, J; Crit Rev Biochem Mol Biol 1997, V32, P175 HCAPLUS
- (35) Sato, H; FEBS Lett 1996, V393, P101 HCAPLUS
- (36) Sato, H; Nature (Lond) 1994, V370, P61 HCAPLUS
- (37) Seftor, R; Cancer Res 1993, V53, P3411 HCAPLUS
- (38) Seltzer, J; Exp Cell Res 1994, V213, P365 HCAPLUS
- (39) Staatz, W; J Biol Chem 1991, V266, P7363 HCAPLUS
- (40) Stack, M; Int J Oncol 1998, V12, P569 HCAPLUS
- (41) Stanton, H; J Cell Sci 1998, V111, P2789 HCAPLUS
- (42) Tomesek, J; J Biol Chem 1997, V272, P7482
- (43) Woessner, J; FASEB J 1991, V5, P2145 HCAPLUS
- (44) Yu, M; Cancer Res 1995, V55, P3272 HCAPLUS
- (45) Zucker, S; J Biol Chem 1998, V273, P1216 HCAPLUS

IT 161384-17-4, **Membrane type 1**

matrix metalloproteinase

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(ovarian carcinoma regulation of **matrix**

metalloproteinase-2 and **membrane type**

1 matrix metalloproteinase through β 1

integrin)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 15 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1998:802538 HCAPLUS

DN 130:195628

ED Entered STN: 23 Dec 1998

TI The interrelationship of α 4 **integrin** and **matrix metalloproteinase-2** in the pathogenesis of experimental autoimmune encephalomyelitis

AU Graesser, Donnasue; Mahooti, Sepi; Haas, Tara; Davis, Sandra; Clark, Robert B.; Madri, Joseph A.

CS Departments of Pathology and Immunobiology, Yale University School of Medicine, New Haven, CT, 06510, USA

SO Laboratory Investigation (1998), 78(11), 1445-1458

CODEN: LAINAW; ISSN: 0023-6837

PB Lippincott Williams & Wilkins

DT Journal

LA English

CC 15-8 (Immunochemistry)

AB Previous studies have suggested that surface expression of **.alpha.4 integrin** by autoreactive T-cell **clones** is necessary for the **clones** to induce exptl. autoimmune encephalomyelitis (EAE), a mouse model for human multiple sclerosis. To provide direct evidence for this phenomenon, the authors have transfected **.alpha.4 integrin** into C19 α 4-LO, a myelin basic protein-reactive T-cell **clone** that does not express **.alpha.4 integrin** and does not induce EAE when adoptively transferred into a susceptible mouse strain. Transfection of **.alpha.4 integrin** converted this **clone** to an .

alpha.4 integrin-expressing clone that induced EAE. The authors then examined potential mechanisms by which **.alpha.4 integrin** may facilitate the disease process. C19 T-cell **clones** adhered equally to a monolayer of microvascular endothelial cells, regardless of level of **α 4 integrin** expression. However, in contrast to T-cell **clones** that do not express **α 4 integrin**, T-cell **clones** that express **α 4 integrin** (endogenously or by transfection) transmigrated through an endothelial cell layer and subendothelial **matrix** at an enhanced rate and adhered to **recombinant** vascular cell adhesion mol.-1 (rVCAM-1) and the CS1 fragment of fibronectin, and after adhesion to these ligands, a **matrix-degrading metalloproteinase (MMP-2)** was induced and activated. The **clones** were also shown to constitutively express the membrane-type **matrix metalloproteinase (MT1-MMP)**, an enzyme that activates **MMP-2**. GM 6001 and UK-221, 316, inhibitors of **metalloproteinases**, reduced **α 4 integrin**-mediated transmigration and EAE induction by C19 T-cell **clones**. In addition, the authors studied a second EAE-inducing T-cell **clone**, MM4, which constitutively expresses **α 4 integrin** and **MMP-2**. Engagement of **α 4 integrin** on the MM4 **clone** up-regulated the expression and activation of **MMP-2**, without changing the expression of **MT1-MMP**. **MMP** inhibitors also reduced transmigration of and EAE induction by the MM4 T-cell **clone**. These studies demonstrate directly that expression of **α 4 integrin** by autoreactive T-cell **clones** is required for adoptive transfer of EAE in this model. The authors also define a role for **α 4 integrin** in the disease process in mediating the induction and coordinate activation of a **matrix metalloproteinase (MMP-2)**, which facilitates T-cell transmigration.

- ST alpha4 integrin matrix metalloproteinase T cell autoimmune encephalomyelitis; multiple sclerosis T cell alpha4 integrin matrix metalloproteinase
- IT Cell adhesion
 - (T cell; α 4 integrin induction and activation of matrix metalloproteinase-2 in mediating T-cell endothelial transmigration and pathogenesis of autoimmune encephalomyelitis in mouse)
- IT Cell adhesion molecules
 - RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 - (VCAM-1; α 4 integrin induces T-cell adhesion to VCAM-1 in pathogenesis of autoimmune encephalomyelitis in mouse)
- IT T cell (lymphocyte)
 - (adhesion; α 4 integrin induction and activation of matrix metalloproteinase-2 in mediating T-cell endothelial transmigration and pathogenesis of autoimmune encephalomyelitis in mouse)
- IT Encephalomyelitis
 - (autoimmune; α 4 integrin induction and activation of matrix metalloproteinase-2 in mediating T-cell endothelial transmigration and pathogenesis of autoimmune encephalomyelitis in mouse)
- IT Cell migration
 - (leukocyte transendothelial; α 4 integrin induction and activation of matrix metalloproteinase-2 in mediating T-cell endothelial transmigration and pathogenesis of autoimmune encephalomyelitis in mouse)
- IT Leukocyte
 - (transendothelial migration; α 4 integrin

- induction and activation of **matrix metalloproteinase**
-2 in mediating T-cell endothelial transmigration and pathogenesis of
autoimmune encephalomyelitis in mouse)
- IT Fibronectins
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
(Biological study); PROC (Process)
(α 4 **integrin** induces T-cell adhesion to
fibronectin in pathogenesis of autoimmune encephalomyelitis in mouse)
- IT Disease models
Mouse
(α 4 **integrin** induction and activation of
matrix metalloproteinase-2 in mediating T-cell
endothelial transmigration and pathogenesis of autoimmune
encephalomyelitis in mouse)
- IT Multiple sclerosis
(α 4 **integrin** induction and activation of
matrix metalloproteinase-2 in mediating T-cell
endothelial transmigration and pathogenesis of autoimmune
encephalomyelitis in mouse in relation to)
- IT Integrins
RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(α 4; α 4 **integrin** induction
and activation of **matrix metalloproteinase**-2 in
mediating T-cell endothelial transmigration and pathogenesis of
autoimmune encephalomyelitis in mouse)
- IT 124861-55-8, TIMP-2 161384-17-4, MT1-MMP
RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
BIOL (Biological study); OCCU (Occurrence)
(constitutive expression on α 4 **integrin**
-expressing T-cells in relation to **matrix**
metalloproteinase-2 activation and autoimmune encephalomyelitis
pathogenesis in mouse)
- IT 146480-35-5, **Matrix metalloproteinase**-2
RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(α 4 **integrin** induction and activation of
matrix metalloproteinase-2 in mediating T-cell
endothelial transmigration and pathogenesis of autoimmune
encephalomyelitis in mouse)

RE.CNT 64 THERE ARE 64 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Baker, D; J Immunol 1995, V155, P4046 HCAPLUS
- (2) Baron, J; J Exp Med 1993, V177, P57 HCAPLUS
- (3) Barten, D; J Neuroimmunol 1994, V51, P123 HCAPLUS
- (4) Ben-Nun, A; Eur J Immunol 1981, V11, P195 MEDLINE
- (5) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
- (6) Cao, J; J Biol Chem 1995, V270, P801 HCAPLUS
- (7) Chandler, S; Biochem Biophys Res Commun 1996, V228, P421 HCAPLUS
- (8) Chandler, S; Neurosci Lett 1995, V201, P223 HCAPLUS
- (9) Chou, C; J Immunol 1983, V130, P2183 HCAPLUS
- (10) Encinas, J; J Immunol 1996, V157, P2186 MEDLINE
- (11) Gijbels, K; J Clin Invest 1994, V94, P2177 HCAPLUS
- (12) Glabinski, A; Int J Dev Neurosci 1995, V13, P153 HCAPLUS
- (13) Goetzl, E; J Immunol 1996, V156, P1 HCAPLUS
- (14) Greer, J; J Immunol 1996, V156, P371 HCAPLUS
- (15) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (16) Heber-Katz, E; Ann N Y Acad Sci 1995, V756, P283 HCAPLUS
- (17) Hewson, A; Inflamm Res 1995, V44, P345 HCAPLUS
- (18) Howard, L; Methods Enzymol 1995, V248, P388 HCAPLUS
- (19) Huhtala, P; J Cell Biol 1995, V129, P867 HCAPLUS
- (20) Kalman, B; J Neuroimmunol 1995, V61, P107 HCAPLUS
- (21) Karasuyama, H; Eur J Immunol 1988, V18, P97 HCAPLUS
- (22) Kennedy, M; J Immunol 1992, V149, P2496 HCAPLUS
- (23) Kent, S; J Magn Reson Imaging 1995, V5, P535 MEDLINE

- (24) Keszthelyi, E; Neurology 1996, V47, P1053 HCAPLUS
- (25) Kinoshita, T; J Biol Chem 1998, V273, P16098 HCAPLUS
- (26) Kleiner, D; Analyt Biochem 1994, V218, P325 HCAPLUS
- (27) Kuchroo, V; J Immunol 1993, V151, P4371 HCAPLUS
- (28) Kuchroo, V; Pathobiology 1991, V59, P305 MEDLINE
- (29) Langholz, O; J Cell Biol 1995, V131, P1903 HCAPLUS
- (30) Leca, G; J Immunol 1995, V154, P1069 HCAPLUS
- (31) Lee, S; Int Immunol 1994, V6, P1621 HCAPLUS
- (32) Lees, M; Int Pediatr 1991, V6, P84
- (33) Leppert, D; Ann Neurol 1996, V40, P846 HCAPLUS
- (34) Leppert, D; J Immunol 1995, V154, P4379 HCAPLUS
- (35) Madri, J; J Cell Biol 1983, V97, P153 MEDLINE
- (36) Mustafa, M; J Immunol 1994, V153, P3337 HCAPLUS
- (37) Olsson, T; Immunol Rev 1995, V144, P245 HCAPLUS
- (38) O'Connell, K; J Immunol 1990, V144, P521 MEDLINE
- (39) Padula, S; J Immunol 1991, V146, P879 HCAPLUS
- (40) Pettinelli, C; J Immunol 1981, V127, P1420 MEDLINE
- (41) Postigo, A; Res Immunol 1993, V144, P723 HCAPLUS
- (42) Preece, G; J Biol Chem 1996, V271, P11634 HCAPLUS
- (43) Ransohoff, R; FASEB J 1993, V7, P592 HCAPLUS
- (44) Romanic, A; J Cell Biol 1994, V125, P1165 HCAPLUS
- (45) Romanic, A; Lab Invest 1997, V76, P11 HCAPLUS
- (46) Roux, F; J Cell Phys 1994, V159, P101 HCAPLUS
- (47) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (48) Seftor, R; Cancer Res 1993, V53, P3411 HCAPLUS
- (49) Soilu-Hanninen, M; J Neuroimmunol 1997, V72, P95 MEDLINE
- (50) Springer, T; Cell 1994, V76, P301 HCAPLUS
- (51) Strongin, A; J Biol Chem 1995, V10, P5331
- (52) Su, B; J Cell Biol 1991, V112, P377 HCAPLUS
- (53) Swanborg, R; Clin Immunol Immunopathol 1995, V77, P4 MEDLINE
- (54) Takada, Y; EMBO J 1989, V8, P1361 HCAPLUS
- (55) Tremble, P; J Cell Biol 1995, V129, P1707 HCAPLUS
- (56) Tuohy, V; Autoimmunity 1995, V21, P203 HCAPLUS
- (57) Tuohy, V; Curr Opin Immunol 1994, V6, P887 HCAPLUS
- (58) Tuohy, V; J Neuroimmunol 1995, V56, P161 HCAPLUS
- (59) Wekerle, H; Ann Neurol 1994, V36, P547 HCAPLUS
- (60) Xia, M; J Immunol 1996, V156, P160 HCAPLUS
- (61) Yednock, T; Nature 1992, V356, P63 HCAPLUS
- (62) Zamvil, S; J Exp Med 1985, V162, P2107 HCAPLUS
- (63) Zamvil, S; Nature 1985, V317, P355 HCAPLUS
- (64) Zamvil, S; Nature 1986, V324, P258 HCAPLUS

IT 161384-17-4, MT1-MMP

RL: BOC (Biological occurrence); BSU (Biological study, unclassified);

BIOL (Biological study); OCCU (Occurrence)

(constitutive expression on α 4 integrin

-expressing T-cells in relation to matrix

metalloproteinase-2 activation and autoimmune encephalomyelitis
pathogenesis in mouse)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 16 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1998:700543 HCAPLUS

DN 130:50194

ED Entered STN: 04 Nov 1998

TI The activation of ProMMP-2 (gelatinase A) by HT1080 fibrosarcoma cells is promoted by culture on a fibronectin substrate and is concomitant with an increase in processing of MT1-MMP (MMP-14) to a 45 kDa form

AU Stanton, Heather; Gavrilovic, Jelena; Atkinson, Susan J.; d'Ortho, Marie-Pia; Yamada, Kenneth M.; Zardi, Luciano; Murphy, Gillian

CS School of Biological Sciences, University of East Anglia, Norwich, NR4
7TJ, UK

SO Journal of Cell Science (1998), 111(18), 2789-2798
CODEN: JNCSAI; ISSN: 0021-9533

PB Company of Biologists Ltd.

DT Journal

LA English

CC 13-2 (Mammalian Biochemistry)

AB We have assessed the effect of fibronectin and laminin-1 on the expression of mols. involved in the activation pathway of **MMP-2**, a key **proteinase** in tissue remodeling. HT1080 fibrosarcoma cells cultured on fibronectin were shown to activate endogenous **MMP-2**, to a level comparable with that elicited by treatment with phorbol ester. In contrast, the **MMP-2** expressed by HT1080 cells cultured on laminin-1 was mainly in the pro- (inactive form). Culture of the cells on peptide fragments of fibronectin derived from the central cell binding domain also promoted **MMP-2** activation, indicating that signals via fibronectin binding to **integrin** receptors may be involved. HT1080 cells cultured on immobilized antibodies to the α 5 and β 1 **integrin subunits** secreted levels of active **MMP-2** similar to those observed for full length fibronectin, whereas cells cultured on an antibody to the α 6 **integrin subunit** secreted mainly pro**MMP-2**. The data demonstrate that the activation of **MMP-2** by HT1080 cells is regulated by the nature of the extracellular **matrix**, and that signals via the α 5 β 1 **integrin** receptor may be involved in the fibronectin induced up-regulation of **MMP-2** activation. We then assessed the effect of fibronectin on the components of the putative **MT1-MMP/TIMP-2** "receptor" complex implicated in **MMP-2** activation. Levels of **TIMP-2** protein expressed by HT1080 cells did not vary detectably between cells cultured on fibronectin or laminin-1. However, the expression of **MT1-MMP** protein was up-regulated when the cells were cultured on fibronectin, which could be attributed to an increase in levels of a truncated 45 kDa form. Parallel studies using gelatin zymog. demonstrated that the up-regulation of the production of the 45 kDa band was concomitant with **MMP-2** activation. Inhibitor studies revealed that the truncation of **MT1-MMP** to a 45 kDa form is **MMP** mediated, although not inhibited by **TIMP-1**. In vitro, the 45 kDa form could be generated by **cleavage** of membrane-bound native **MT1-MMP** with several **recombinant MMPs**, including both active **MT1-MMP** and **MMP-2**. The implication that either **MMP-2** or **MT1-MMP** can process **MT1-MMP** to 45 kDa, raises the possibility that truncation of **MT1-MMP** represents a self-regulatory end-point in the activation pathway of **MMP-2**.

ST fibronectin **MMP2 matrix metalloproteinase** activation
MT1MMP

IT Laminins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(1; activation of Pro**MMP-2** by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in processing of **MT1-MMP** to a 45 kDa form)

IT Animal cell line
(HT-1080; activation of Pro**MMP-2** by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in processing of **MT1-MMP** to a 45 kDa form)

IT Fibronectins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(activation of Pro**MMP-2** by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in

processing of **MT1-MMP** to a 45 kDa form)

IT **Integrins**

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(α 5.beta.1; activation of ProMMP-2 by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in processing of **MT1-MMP** to a 45 kDa form)

IT 124861-55-8, TIMP-2 141907-41-7, **Matrix metalloproteinase** 146480-35-5, Gelatinase A 148969-98-6, ProMMP-2 161384-17-4, **MT1-MMP**

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(activation of ProMMP-2 by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in processing of **MT1-MMP** to a 45 kDa form)

RE.CNT 63 THERE ARE 63 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Akiyama, S; Cancer Metast Rev 1995, V14, P173 HCAPLUS
- (2) Akiyama, S; J Cell Biol 1989, V109, P863 HCAPLUS
- (3) Allan, J; Biochem J 1995, V309, P299 HCAPLUS
- (4) Arner, E; Arthritis Rheum 1995, V38, P1304 HCAPLUS
- (5) Atkinson, S; J Biol Chem 1995, V270, P30479 HCAPLUS
- (6) Azzam, H; Cancer Res 1992, V52, P4540 HCAPLUS
- (7) Borsi, L; Anal Biochem 1986, V155, P335 HCAPLUS
- (8) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (9) Brooks, P; Cell 1998, V92, P391 HCAPLUS
- (10) Butler, G; J Biol Chem 1998, V273, P871 HCAPLUS
- (11) Chambers, A; J Nat Cancer Inst 1997, V89, P1260 HCAPLUS
- (12) Chintala, S; Cancer Lett 1996, V103, P201 HCAPLUS
- (13) Chomczynski, P; Anal Biochem 1987, V162, P156 HCAPLUS
- (14) Danen, E; J Biol Chem 1995, V270, P21612 HCAPLUS
- (15) d'Ortho, M; Eur J Biochem 1997, V250, P751 HCAPLUS
- (16) d'Ortho, M; FEBS Lett 1998, V421, P159 HCAPLUS
- (17) Fukai, F; Biochemistry 1995, V34, P11453 HCAPLUS
- (18) Gilles, C; Lab Invest 1997, V76, P651 HCAPLUS
- (19) Green, D; Endothelium 1994, V2, P191
- (20) Greiling, D; J Cell Sci 1997, V110, P861 HCAPLUS
- (21) Haas, T; J Biol Chem 1998, V273, P3604 HCAPLUS
- (22) Heussen, C; Anal Biochem 1980, V102, P196 HCAPLUS
- (23) Huhtala, P; J Cell Biol 1995, V129, P867 HCAPLUS
- (24) Imai, K; Cancer Res 1996, V56, P2707 HCAPLUS
- (25) Knauper, V; J Biol Chem 1996, V271, P17124 MEDLINE
- (26) Kubota, S; Int J Cancer 1997, V70, P106 HCAPLUS
- (27) Laemmli, U; J Mol Biol 1973, V80, P575 HCAPLUS
- (28) Laflamme, S; J Cell Biol 1992, V117, P437 HCAPLUS
- (29) Langholz, O; J Cell Biol 1995, V131, P1903 HCAPLUS
- (30) Larjava, H; J Cell Physiol 1993, V157, P190 HCAPLUS
- (31) Lohi, J; Eur J Biochem 1996, V239, P239 HCAPLUS
- (32) Miyamoto, S; J Cell Biol 1995, V131, P791 HCAPLUS
- (33) Miyamoto, S; J Cell Biol 1996, V135, P1633 HCAPLUS
- (34) Mohri, H; J Invest Medicine 1996, V44, P429 MEDLINE
- (35) Murphy, G; Biochem J 1981, V195, P167 HCAPLUS
- (36) Murphy, G; Biochem J 1992, V283, P637 HCAPLUS
- (37) Murphy, G; Biochemistry 1991, V30, P8097 HCAPLUS
- (38) Murphy, G; J Biol Chem 1992, V267, P9612 HCAPLUS
- (39) Murphy, G; Matrix 1992, V1(suppl), P224
- (40) Ohuchi, E; J Biol Chem 1997, V272, P2446 HCAPLUS
- (41) Paterson, H; Cell 1987, V51, P803 HCAPLUS
- (42) Pei, D; J Biol Chem 1996, V271, P9135 HCAPLUS
- (43) Plopper, G; Mol Biol Cell 1995, V6, P1349 HCAPLUS
- (44) Reich, R; Clin Exp Metast 1995, V13, P134 HCAPLUS
- (45) Riikonen, T; J Biol Chem 1995, V270, P13548 HCAPLUS

- (46) Sato, H; J Biochem 1996, V119, P209 HCAPLUS
- (47) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (48) Schwartz, M; Annu Rev Cell Dev Biol 1995, V11, P549 HCAPLUS
- (49) Seftor, R; Proc Nat Acad Sci USA 1992, V89, P1557 HCAPLUS
- (50) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (51) Tremble, P; Mol Biol Cell 1994, V5, P439 HCAPLUS
- (52) Von der Mark, H; J Biol Chem 1991, V266, P23593 HCAPLUS
- (53) Wallon, U; J Biol Chem 1997, V272, P7473 HCAPLUS
- (54) Ward, R; Biochem J 1991, V278, P179 HCAPLUS
- (55) Ward, R; Biochem J 1994, V304, P263 HCAPLUS
- (56) Werb, Z; Cell 1997, V91, P439 HCAPLUS
- (57) Werb, Z; J Cell Biol 1989, V109, P877 HCAPLUS
- (58) Werb, Z; Kidney Int 1996, V49(suppl 54), PS68
- (59) West-Mays, J; Proc Nat Acad Sci USA 1995, V92, P6768 HCAPLUS
- (60) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (61) Willenbrock, F; Biochemistry 1993, V32, P4330 HCAPLUS
- (62) Yamada, K; Cancer Res 1990, V50, P4485 HCAPLUS
- (63) Yamada, K; J Cell Biol 1984, V99, P29 HCAPLUS

IT 161384-17-4, MT1-MMP

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(activation of ProMMP-2 by HT1080 fibrosarcoma cells is promoted by culture on fibronectin substrate and concomitant with an increase in processing of MT1-MMP to a 45 kDa form)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 17 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1998:552072 HCAPLUS

DN 129:271934

ED Entered STN: 01 Sep 1998

TI Remodeling of collagen **matrix** by human tumor cells requires activation and cell surface association of **matrix metalloproteinase-2**

AU Deryugina, Elena I.; Bourdon, Mario A.; Reisfeld, Ralph A.; Strongin, Alex
CS La Jolla Institute for Experimental Medicine, La Jolla, CA, 92037, USA
SO Cancer Research (1998), 58(16), 3743-3750
CODEN: CNREA8; ISSN: 0008-5472

PB American Association for Cancer Research

DT Journal

LA English

CC 6-1 (General Biochemistry)

Section cross-reference(s): 14

AB The authors assessed the functional significance of tumor cell-associated **matrix metalloproteinase (MMP)-2** in extracellular **matrix** remodeling compared with that of the soluble enzyme by evaluating the contraction of three-dimensional collagen lattices by human glioma U251.3 and fibrosarcoma HT-1080 cell lines. In this model, the constitutive synthesis and activation of the **MMP-2** proenzyme were modulated by stable transfections of tumor cells with cDNA encoding membrane type 1-**MMP (MT1-MMP)**. The efficiency of transfected cells in contracting collagen lattices was shown to be dependent on the **MT1-MMP**-mediated activation of **MMP-2** accompanied by cell surface association of activated **MMP-2**, on the cell-**matrix** interactions controlled by collagen-specific **integrins**, and on the integrity of actin and microtubule cytoskeletons. Each one of these mechanisms was essential but was not sufficient by itself in accomplishing gel contraction by **MT1-MMP**-transfected cells. Both **MMP-2** activation and gel contraction by transfected glioma cells were inhibited by tissue inhibitor of **metalloproteinase (TIMP)-2**

and the **recombinant** COOH-terminal domain of **MMP-2**. However, the kinetics and mechanisms of their inhibitory effects were different, because TIMP-2 and the COOH-terminal domain of **MMP-2** preferentially inhibited the **MT1-MMP**-dependent and autocatalytic steps of **MMP-2** activation, resp. By contrast, TIMP-1, an efficient inhibitor of soluble **MMP-2** activity, failed to affect gel contraction. In addition, soluble **MMP-2** activated by either organomercurials or cells was not able to induce the contraction of collagen lattices when added to transfected cells. Therefore, soluble activated **MMP-2**, sensitive to TIMP-1 inhibition, does not mediate collagen gel contraction by tumor cells, whereas the activity of cell surface-associated **MMP-2** plays a critical role in remodeling of the extracellular **matrix** in vitro. These mechanisms of functional and spatial regulation of **MMP-2** may also be applicable to different aspects of tissue reorganization in vivo, including cell migration and invasion, **angiogenesis**, and wound healing.

ST extracellular **matrix** tumor remodeling **matrix**
metalloproteinase

IT Cell membrane
 (**MMP-2** localization to; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT Extracellular **matrix**
 Neoplasm
 (cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT Collagens, biological studies
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT Cytoskeleton
 Microtubule
 (necessity for actin and microtubule cytoskeleton integrity and **integrins**; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT **Integrins**
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (necessity for actin and microtubule cytoskeleton integrity and **integrins**; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT Actins
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (necessity for actin and microtubule cytoskeleton integrity and **integrins**; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT 161384-17-4
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (activation by; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

IT 146480-35-5, **Matrix metalloproteinase-2**
 RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
 (cell surface-associated **MMP-2** but not soluble enzyme contribute to

cell-mediated remodeling of extracellular **matrix**)

RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Allenberg, M; J Am Soc Nephrol 1994, V10, P1760
- (2) Asaga, H; Exp Cell Res 1986, V193, P442
- (3) Ashizawa, N; J Clin Invest 1996, V98, P2218 HCAPLUS
- (4) Aznavoorian, S; Cancer (Phila) 1993, V71, P1368 HCAPLUS
- (5) Birkedal-Hansen, H; Crit Rev Oral Biol Med 1993, V4, P197 MEDLINE
- (6) Bittner, K; Biochem J 1996, V314, P159 HCAPLUS
- (7) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (8) Carver, W; J Cell Physiol 1995, V165, P425 HCAPLUS
- (9) Chiquet-Ehrismann, R; J Cell Biol 1994, V127, P2093 HCAPLUS
- (10) Danowski, B; J Cell Sci 1989, V93, P255 HCAPLUS
- (11) Davis, G; Exp Cell Res 1995, V216, P113 HCAPLUS
- (12) Deryugina, E; Anticancer Res 1997, V17, P3201 HCAPLUS
- (13) Deryugina, E; Hybridoma 1996, V15, P279 HCAPLUS
- (14) Deryugina, E; J Cell Sci 1997, V110, P2473 HCAPLUS
- (15) Eastwood, M; J Cell Physiol 1996, V166, P33 HCAPLUS
- (16) Frisch, S; Oncogene 1990, V5, P75 HCAPLUS
- (17) Goldberg, G; J Biol Chem 1992, V267, P4583 HCAPLUS
- (18) Goldberg, G; Proc Natl Acad Sci USA 1989, V86, P8207 HCAPLUS
- (19) Gomez, D; Eur J Cell Biol 1997, V74, P111 HCAPLUS
- (20) Guidry, C; J Cell Sci 1985, V79, P67 HCAPLUS
- (21) Gullberg, D; Exp Cell Res 1990, V186, P264 HCAPLUS
- (22) Ko, Y; Biochem Biophys Res Commun 1997, V236, P100 HCAPLUS
- (23) Kolodney, M; Proc Natl Acad Sci USA 1995, V92, P10252 HCAPLUS
- (24) Langholz, O; J Cell Biol 1995, V131, P1903 HCAPLUS
- (25) Lee, Y; Endocrinology 1996, V137, P5278 HCAPLUS
- (26) Moulin, V; J Cell Physiol 1997, V171, P1 HCAPLUS
- (27) Nakahara, H; Proc Natl Acad Sci USA 1997, V94, P7959 HCAPLUS
- (28) Pei, D; J Biol Chem 1996, V271, P9135 HCAPLUS
- (29) Riikonen, T; J Biol Chem 1995, V270, P376 HCAPLUS
- (30) Sato, H; Nature (Lond) 1994, V370, P61 HCAPLUS
- (31) Seltzer, J; Exp Cell Res 1994, V213, P365 HCAPLUS
- (32) Stephens, P; Int J Biochem Cell Biol 1997, V29, P121 HCAPLUS
- (33) Strongin, A; J Biol Chem 1993, V268, P14033 HCAPLUS
- (34) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
- (35) Thiesen, S; Exp Cell Res 1996, V227, P135 HCAPLUS
- (36) Tomasek, J; J Biol Chem 1997, V272, P7482 HCAPLUS
- (37) Tuan, T; Exp Cell Res 1996, V223, P127 HCAPLUS
- (38) Vasquez, R; Mol Biol Cell 1997, V8, P973 HCAPLUS
- (39) Vernon, R; J Cell Biochem 1996, V60, P185 HCAPLUS
- (40) Will, H; J Biol Chem 1996, V271, P17119 HCAPLUS
- (41) Yamamoto, M; Cancer Res 1996, V56, P384 HCAPLUS
- (42) Yamato, M; J Biochem (Tokyo) 1995, V117, P940 HCAPLUS
- (43) Zucker, S; J Biol Chem 1998, V273, P1216 HCAPLUS

IT 161384-17-4

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(activation by; cell surface-associated **MMP-2** but not soluble enzyme contribute to cell-mediated remodeling of extracellular **matrix**)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L54 ANSWER 18 OF 18 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1997:725187 HCAPLUS

DN 128:32873

ED Entered STN: 17 Nov 1997

TI **Matrix metalloproteinase-2** activation modulates glioma

- cell migration
- AU Deryugina, Elena I.; Bourdon, Mario A.; Luo, Guang-Xiang; Reisfeld, Ralph A.; Strongin, Alex
- CS La Jolla Institute for Experimental Medicine, La Jolla, CA, USA
- SO Journal of Cell Science (1997), 110(19), 2473-2482
CODEN: JNCSAI; ISSN: 0021-9533
- PB Company of Biologists
- DT Journal
- LA English
- CC 13-6 (Mammalian Biochemistry)
- AB Stable transfection of U251.3 glioma cells with cDNA encoding **MT-MMP-1** resulted in increased cell surface expression of **MT-MMP-1** and **TIMP-2**, constitutive activation of **MMP-2** proenzyme and increased collagen degradation. In tumor spheroid outgrowth assays, cell migration of **MT-MMP-1** transfectants relative to control was enhanced on collagen and decreased on vitronectin and fibronectin. These effects were reversed by **TIMP-2** and were not associated with any substantial changes in cell adhesion. Binding of U251.3 cells to the C-terminal domain of **MMP-2** was specifically inhibited by anti- α v β 3 **integrin** blocking antibody indicating that **MMP-2** interacts with **alpha.v β 3** through the enzyme's C-terminal portion at or near the **integrin's** **matrix** adhesion sites. We propose that these mechanisms could govern directed **matrix** degradation in the tumor cells' microenvironment by sequestration of active **MMP-2** on the cell surface. Our data suggest that activation of **MMP-2** and its proteolytic activity localized to the cell surface could differentially modulate tumor cell migration in response to particular **matrix** proteins by altering both composition of the extracellular **matrix** and expression of adhesion receptors on the cell surface.
- ST **matrix metalloproteinase 2** activation cell migration;
MMP2 MTMMP1 extracellular **matrix integrin** glioma
- IT Decomposition
(**MT-MMP-1** transfected glioma cells activate **MMP-2** proenzyme and increase collagen degrdn)
- IT Extracellular **matrix**
(activation of **MMP-2** proenzyme and accumulation of activated **MMP-2** modulate glioma cell migration in response to extra cellular **matrix** components)
- IT Tenascins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(activation of **MMP-2** proenzyme and accumulation of activated **MMP-2** modulate glioma cell migration in response to extra cellular **matrix** components)
- IT Fibronectins
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(activation of **MMP-2** proenzyme and accumulation of activated **MMP-2** modulate glioma cell migration in response to extra cellular **matrix** components)
- IT Vitronectin
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(activation of **MMP-2** proenzyme and accumulation of activated **MMP-2** modulate glioma cell migration in response to extra cellular **matrix** components)
- IT Cell adhesion
(binding of glioma cells to C-terminal domain of **MMP-2** in relation to **integrin** α V β 3)
- IT Neuroglia
(glioma; **matrix metalloproteinase-2** activation modulates glioma cell migration)

- IT Cell migration
(**matrix metalloproteinase-2** activation modulates glioma cell migration)
- IT Collagens, biological studies
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(type I; **MT-MMP-1** transfected glioma cells activate **MMP-2** proenzyme and increase collagen degrdn)
- IT **Integrins**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(α v.beta.3; cell surface expression of **integrin α V.beta.3** in **MT-MMP-1** transfected glioma cells)
- IT 124861-55-8, TIMP-2 161384-17-4, **MT MMP-1**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(**MT MMP-1**/TIMP-2 regulated **matrix metalloproteinase-2** activation affects glioma cell migration)
- IT 146480-35-5, **Matrix metalloproteinase-2**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(**matrix metalloproteinase-2** activation modulates glioma cell migration)

RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Ailenberg, M; Biochem J 1996, V313, P879 HCAPLUS
- (2) Aimes, R; J Biol Chem 1995, V270, P5872 HCAPLUS
- (3) Ashkenas, J; Integrins, Molecular and Biological Response to the Extracellular Matrix 1994, P79 HCAPLUS
- (4) Aznavoorian, S; Cancer 1993, V71, P1368 HCAPLUS
- (5) Behrendtsen, O; Dev Dynam 1997, V208, P255 HCAPLUS
- (6) Birkedal-Hansen, H; Crit Rev Oral Biol Med 1993, V4, P197 MEDLINE
- (7) Brooks, P; Cell 1996, V85, P683 HCAPLUS
- (8) Chintala, S; Cancer Lett 1996, V103, P201 HCAPLUS
- (9) Corcoran, M; J Biol Chem 1995, V270, P13453 HCAPLUS
- (10) Coussens, L; Chem Biol 1996, V3, P895 HCAPLUS
- (11) Deryugina, E; Anticancer Res, in press 1997, V17 HCAPLUS
- (12) Deryugina, E; Hybridoma 1996, V15, P279 HCAPLUS
- (13) Deryugina, E; J Cell Sci 1996, V109, P643 HCAPLUS
- (14) Dimilla, P; J Cell Biol 1993, V122, P729 HCAPLUS
- (15) Friedlander, D; Cancer Res 1996, V56, P1939 HCAPLUS
- (16) Goldberg, G; Proc Nat Acad Sci USA 1989, V86, P8207 HCAPLUS
- (17) Greene, J; J Biol Chem 1996, V271, P30375 HCAPLUS
- (18) Howard, E; J Biol Chem 1991, V266, P13070 HCAPLUS
- (19) Huhtala, P; J Cell Biol 1995, V129, P867 HCAPLUS
- (20) Imai, K; Cancer Res 1996, V56, P2707 HCAPLUS
- (21) Montgomery, A; Cancer Res 1994, V54, P5467 HCAPLUS
- (22) Murphy, A; J Cell Physiol 1993, V157, P351 HCAPLUS
- (23) Murphy, G; Biochem J 1992, V283, P637 HCAPLUS
- (24) Nakano, A; J Neurosurg 1995, V83, P298 MEDLINE
- (25) Okada, A; Proc Nat Acad Sci USA 1995, V92, P2730 HCAPLUS
- (26) Pei, D; J Biol Chem 1996, V271, P9135 HCAPLUS
- (27) Rao, J; J Neurooncol 1993, V18, P129
- (28) Ray, J; Annu NY Acad Sci 1994, V732, P233 HCAPLUS
- (29) Ray, J; EMBO J 1995, V14, P908 HCAPLUS
- (30) Riikonen, T; J Biol Chem 1995, V270, P13548 HCAPLUS
- (31) Ruoslahti, E; Meth Enzymol 1982, V82, P803 HCAPLUS
- (32) Salonen, E; FEBS Lett 1996, V393, P216 HCAPLUS
- (33) Sato, H; Nature 1994, V370, P61 HCAPLUS
- (34) Siri, A; J Biol Chem 1995, V270, P8650 HCAPLUS

- (35) Sriramarao, P; J Cell Sci 1993, V105, P1001 HCAPLUS
(36) Stetler-Stevenson, W; Annu Rev Cell Biol 1993, V9, P541 HCAPLUS
(37) Strongin, A; J Biol Chem 1993, V268, P14033 HCAPLUS
(38) Strongin, A; J Biol Chem 1995, V270, P5331 HCAPLUS
(39) Takino, T; J Biol Chem 1995, V270, P23013 HCAPLUS
(40) Tremble, P; J Cell Biol 1995, V129, P1707 HCAPLUS
(41) Will, H; Eur J Biochem 1995, V231, P602 HCAPLUS
(42) Woessner, J; Annu NY Acad Sci 1994, V732, P11 HCAPLUS
(43) Yamamoto, M; Cancer Res 1996, V56, P384 HCAPLUS

IT 161384-17-4, MT MMP-1

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(MT MMP-1/TIMP-2 regulated **matrix metalloproteinase-2** activation affects glioma cell migration)

RN 161384-17-4 HCAPLUS

CN Proteinase, matrix metallo-, MT-MMP-1 (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

=> => fil biosis

FILE 'BIOSIS' ENTERED AT 14:04:31 ON 08 JUN 2004

COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC. (R)

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT
FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 2 June 2004 (20040602/ED)

FILE RELOADED: 19 October 2003.

=> d 164 all tot

L64 ANSWER 1 OF 2 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

AN 2002:260892 BIOSIS

DN PREV200200260892

TI Expression of **integrins** and MMPs during alkaline-burn-induced corneal angiogenesis.

AU **Zhang, Heying**; Li, Chen; **Baciu, Peter C.** [Reprint author]

CS Allergan, Inc., 2525 Dupont Drive, Irvine, CA, 92612, USA
baciu_peter@allergan.com

SO **IOVS**, (April, 2002) Vol. 43, No. 4, pp. 955-962. print.

DT Article

LA English

ED Entered STN: 24 Apr 2002

Last Updated on STN: 24 Apr 2002

AB PURPOSE: To determine in a corneal alkaline burn model of angiogenesis whether the expression of **integrins** and MMPs is consistent with a VEGF-induced angiogenic response. METHODS: Neovascularization in female Sprague-Dawley rats was induced by alkaline cauterization of the central cornea. RT-PCR for **integrins** alpha1, alpha2, beta3, and beta5; the endothelial marker CD31; and **metalloproteinases** MMP-2 and **MT1-MMP** was performed on naive corneas and on cauterized corneas 72 and 288 hours after cautery. Analyses of protein and MMP expression were conducted on naive corneas and on cauterized corneas 24, 72, 120, and 168 hours after cautery by immunofluorescence microscopy and gelatin zymography. RESULTS: RT-PCR indicated a correlation between the induced angiogenic response and the expression of alpha1 and beta3 **integrin** subunits and **MT1-MMP**. Immunohistochemical analysis indicated that alpha1, alpha2, alpha5, and

beta5 **integrins** and **MMP-2** and **MT1-MMP** were expressed on the newly developing vasculature. The beta3 **integrin** was preferentially expressed on platelets. **CONCLUSIONS:** **Integrin** expression during neovascularization of rat corneas in response to alkaline injury correlates with an angiogenic response that uses the VEGF/alpha5beta5 pathway. **MMP-2** and **MT1-MMP**, but not **MMP-9**, are expressed in a pattern consistent with their involvement in the angiogenic response.

CC Biochemistry studies - General 10060
Enzymes - General and comparative studies: coenzymes 10802
Sense organs - Physiology and biochemistry 20004
IT Major Concepts
Biochemistry and Molecular Biophysics; Sense Organs (Sensory Reception)
IT Parts, Structures, & Systems of Organisms
cornea: sensory system
IT Chemicals & Biochemicals
CD31; alkaline; alpha-1 **integrin**; alpha-2 **integrin**;
beta-3 **integrin**; beta-5 **integrin**; matrix
metalloproteinases
IT Miscellaneous Descriptors
corneal angiogenesis: alkaline-burn-induced; neovascularization
ORGN Classifier
Muridae 86375
Super Taxa
Rodentia; Mammalia; Vertebrata; Chordata; Animalia
Organism Name
Sprague-Dawley rat: animal model, female
Taxa Notes
Animals, Chordates, Mammals, Nonhuman Vertebrates, Nonhuman Mammals,
Rodents, Vertebrates
RN 141907-41-7 (matrix metalloproteinases)

L64 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN 2001:287268 BIOSIS
DN PREV200100287268
TI Analysis of **integrin** expression during corneal
neovascularization.
AU **Baciu, P. C.** [Reprint author]; **Zhang, H.** [Reprint
author]
CS Dept Biology, Allergan Inc., Irvine, CA, 92612, USA
SO **IOVS**, (March 15, 2001) Vol. 42, No. 4, pp. S94. print.
Meeting Info.: Annual Meeting of the Association for Research in Vision
and Ophthalmology. Fort Lauderdale, Florida, USA. April 29-May 04, 2001.
DT Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
LA English
ED Entered STN: 13 Jun 2001
Last Updated on STN: 19 Feb 2002
CC Cardiovascular system - Physiology and biochemistry 14504
General biology - Symposia, transactions and proceedings 00520
Cytology - Animal 02506
Biochemistry studies - Proteins, peptides and amino acids 10064
Enzymes - General and comparative studies: coenzymes 10802
Endocrine - General 17002
Sense organs - Physiology and biochemistry 20004
Sense organs - Pathology 20006
IT Major Concepts
Enzymology (Biochemistry and Molecular Biophysics); Sense Organs
(Sensory Reception); Cardiovascular System (Transport and Circulation)
IT Parts, Structures, & Systems of Organisms
cornea: sensory system, central area; corneal epithelial cell: sensory
system; corneal vasculature: circulatory system, sensory system,
development; inflammatory cell, invasion

IT Diseases
corneal alkaline burn: eye disease, injury

IT Chemicals & Biochemicals
CD31: endothelial marker, expression; **MT1**-matrix
metalloproteinase: expression, protein levels; VEGF [vascular
endothelial growth factor]; alpha 1 **integrin**: expression,
protein levels; alpha 2 **integrin**: expression, protein levels;
beta 3 **integrin**: expression, protein levels; beta 5
integrin: expression, protein levels; collagen type IV:
extracellular matrix protein; fibronectin: extracellular matrix
protein; laminin: extracellular matrix protein; matrix
metalloproteinase-2: expression, **integrin**; matrix
metalloproteinase-9: expression, **integrin**

IT Miscellaneous Descriptors
corneal neovascularization: alkali burn-induced, vascular endothelial
growth factor-induced; Meeting Abstract

ORGN Classifier
Muridae 86375
Super Taxa
Rodentia; Mammalia; Vertebrata; Chordata; Animalia
Organism Name
Sprague-Dawley rat: animal model, female
Taxa Notes
Animals, Chordates, Mammals, Nonhuman Vertebrates, Nonhuman Mammals,
Rodents, Vertebrates

RN 146480-35-5 (matrix metalloproteinase-2)
146480-36-6 (matrix metalloproteinase-9)
127464-60-2 (VASCULAR ENDOTHELIAL GROWTH FACTOR)

=> => fil wpix

FILE 'WPIX' ENTERED AT 14:18:54 ON 08 JUN 2004

COPYRIGHT (C) 2004 THOMSON DERWENT

FILE LAST UPDATED: 3 JUN 2004 <20040603/UP>

MOST RECENT DERWENT UPDATE: 200435 <200435/DW>

DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE
<http://thomsonderwent.com/coverage/latestupdates/> <<<

>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
GUIDES, PLEASE VISIT:
<http://thomsonderwent.com/support/userguides/> <<<

>>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT
DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX
FIRST VIEW - FILE WPIFV. FREE CONNECT HOUR UNTIL 1 MAY 2004.
FOR FURTHER DETAILS: <http://www.thomsonderwent.com/dwpifv> <<<

>>> NEW! IMPROVE YOUR LITIGATION CHECKING AND INFRINGEMENT
MONITORING WITH LITALERT. FIRST ACCESS TO RECORDS OF IP
LAWSUITS FILED IN THE 94 US DISTRICT COURTS SINCE 1973.
FOR FURTHER DETAILS:
<http://www.thomsonscientific.com/litalert> <<<

>>> THE DISPLAY LAYOUT HAS BEEN CHANGED TO ACCOMODATE THE
NEW FORMAT GERMAN PATENT APPLICATION AND PUBLICATION
NUMBERS. SEE ALSO:

<http://www.stn-international.de/archive/stnews/news0104.pdf> <<<

>>> SINCE THE FILE HAD NOT BEEN UPDATED BETWEEN APRIL 12-16
THERE WAS NO WEEKLY SDI RUN <<<

=> d all abeq tech abex tot

L74 ANSWER 1 OF 4 WPIX COPYRIGHT 2004 THOMSON DERWENT on STN
AN 2004-316460 [29] WPIX
DNC C2004-120061
TI New peptides that regulate the degradation of type II collagen, useful for
diagnosing and treating for e.g. osteoarthritis, rheumatoid arthritis,
post-traumatic osteoarthritis, idiopathic osteoarthritis or eye diseases.
DC B04 D16
IN POOLE, A R
PA (SHRI-N) SHRINERS HOSPITALS FOR CHILDREN
CYC 106
PI WO 2004031206 A2 20040415 (200429)* EN 74 C07K000-00
RW: AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS
LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW
W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PG
PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ
VC VN YU ZA ZM ZW
ADT WO 2004031206 A2 WO 2003-US30744 20030930
PRAI US 2002-414332P 20020930
IC ICM C07K000-00
AB WO2004031206 A UPAB: 20040505
NOVELTY - An isolated or purified peptide comprising a fully defined amino
acid sequence of CB12, CB12-I, CB12-II, CB12-III, CB12-IV, Pro6, Pro15,
Pro18 or Pro21, or its fragment, conservatively substituted variant,
mimetic, inhibitor or homologue, is new. The peptide alters the rate of
degradation of type II collagen or the rate of chondrocyte hypertrophy.
DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
following:
(1) a peptide dimer or trimer consisting of 2 or 3 peptides,
respectively, where each peptide is selected from the peptides cited
above;
(2) a pharmaceutical composition comprising a pharmaceutical carrier
and at least one of the peptide inhibitors cited above;
(3) a method of regulating collagen turnover;
(4) a method of identifying a peptide mimetic of a peptide fragment
of collagen capable of decreasing the degradation of the collagen in a
biological sample;
(5) an isolated or purified antibody that specifically binds to an
epitope of the peptide or its antigenic fragment;
(6) a method of diagnosing a disease selected from osteoarthritis,
rheumatoid arthritis, post-traumatic osteoarthritis, idiopathic
osteoarthritis and eye disease;
(7) a method of inhibiting chondrocyte hypertrophy in a subject; and
(8) a method of screening for a compound capable of inhibiting
collagen breakdown.
ACTIVITY - Osteopathic; Antiarthritic; Antirheumatic;
Ophthalmological. No biological data given.
MECHANISM OF ACTION - Gene therapy.
USE - The pharmaceutical composition is useful for reducing collagen
matrix turnover in mammals, particularly humans, or for reducing
degradation of one or more collagen proteins. The antibody is used to
inhibit the activity of the peptide, to identify inhibitors of the
generation of the peptide, or to identify a subject at risk for rapid or
slow progression of a disease responding to therapy designed to arrest
cartilage degradation or at risk for a disease by showing of early

pre-clinical changes prior to clinical presentation of the disease, where the disease is selected from osteoarthritis, rheumatoid arthritis, post-traumatic osteoarthritis, idiopathic osteoarthritis and eye disease. In addition, the antibody is used to detect the release of type II collagen degradation products in body fluids, e.g. tissue extracts, serum, synovial fluid or urine (all claimed). The composition and methods may be used for diagnosing and treating such diseases.

Dwg.0/12

FS CPI

FA AB; DCN

MC CPI: B04-B04B1; B04-B04D4; B04-C01A; B04-G01; B04-N02A; **B12-K04A**
; **B12-K04E**; B14-C09A; B14-C09B; B14-L06; B14-N01; B14-N03;
B14-S03; D05-C11; **D05-H09**; D05-H11; D05-H17A6

TECH UPTX: 20040505

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Peptide: The peptide or its fragment is further modified by hydroxylation. The asterisk in the peptide sequence denotes sites of hydroxylation. The peptide or its fragment is hydroxylated at one or more of the proline or lysine residues of the peptide. It is hydroxylated at proline or lysine residues located within the sequence Gly-X-Pro or Gly-X-Lys, where X indicates any amino acid, and where 1-5 acids of the peptide sequence have been replaced using conservative substitutions. The peptide homologue is at least 80% homologous to the peptide. The peptide dimer or trimer is a homodimer or heterodimer, or a homotrimer or heterotrimer.

Preferred Antibody: The antibody is a monoclonal or a polyclonal antibody. Preferred Method: Regulating collagen turnover comprises administering to a subject an amount of the pharmaceutical composition cited above.

Identifying a peptide mimetic of a peptide fragment of collagen capable of decreasing the degradation of the collagen in a biological sample comprises screening peptide fragments of collagen, and its variants, for the ability of the peptide fragments to bind preferentially to a specific receptor of the naturally produced peptide fragments but has a lesser ability to activate the matrix degradation pathway. The specific receptors are anti-integrin receptors. The activation of the matrix degradation pathway induces the expression of genes selected from COLX, MMP-9, TGF-B1, IHH, MMP-13, CBFA1, SOX 9, bFGF, pTHrP, caspase-3, **MT1-MMP**, IL-1B and **MMP-I**. The

biological sample is a biological fluid selected from tissue extracts, synovial fluid, serum and urine. Diagnosing the diseases cited above comprises contacting a sample with the antibody mentioned above.

Inhibiting chondrocyte hypertrophy in a subject comprises administering to the subject a pharmaceutical amount of the above antibody, where the hypertrophy is inhibited. Screening for a compound capable of inhibiting collagen breakdown comprises incubating the test compound in vitro with an extract containing collagen, adding a compound known to increase degradation of collagen, and selecting the compound capable of decreasing the degradation of collagen as compared with the known compound alone.

Preparation: The peptide was prepared using standard isolation or purification techniques.

ABEX UPTX: 20040505

ADMINISTRATION - Administration is parenteral (e.g. intravenous, subcutaneous, intraperitoneal or intramuscular). No dosage given.

EXAMPLE - No relevant example given.

L74 ANSWER 2 OF 4 WPIX COPYRIGHT 2004 THOMSON DERWENT on STN

AN 2003-058512 [05] WPIX

DNC C2003-015007

TI Screening for agents which inhibit angiogenesis, used for treating cancer, macular degeneration and retinopathies, comprises screening for agents which inhibit activation of integrin alpha subunit by metalloprotease **MT1-MMP**.

DC B04 D16

IN BACIU, P C; MANUEL, V M; ZHANG, H
 PA (BACI-I) BACIU P C; (MANU-I) MANUEL V M; (ZHAN-I) ZHANG H; (ALLR) ALLERGAN
 INC
 CYC 101

PI WO 2002081627 A2 20021017 (200305)* EN 24 C12N000-00
 RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ
 NL OA PT SD SE SL SZ TR TZ UG ZM ZW
 W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
 DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
 KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT
 RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
 US 2003171271 A1 20030911 (200367) G01N033-574 <--
 EP 1393075 A2 20040303 (200417) EN G01N033-543 <--
 R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI TR

AU 2002307096 A1 20021021 (200433) C12N000-00
 ADT WO 2002081627 A2 WO 2002-US10501 20020403; US 2003171271 A1
 Provisional US 2001-281512P 20010404, US 2002-115718 20020403; EP
 1393075 A2 EP 2002-763922 20020403, WO 2002-US10501 20020403; AU
 2002307096 A1 AU 2002-307096 20020403

FDT EP 1393075 A2 Based on WO 2002081627; AU 2002307096 A1 Based on WO
 2002081627

PRAI US 2001-281512P 20010404; US 2002-115718
 20020403

IC ICM C12N000-00; G01N033-543; G01N033-574
 ICS A61K038-16; A61K039-00; A61K039-395; C12Q001-37; G01N001-30

AB WO 2002081627 A UPAB: 20030121

NOVELTY - Screening for agents which inhibit an angiogenic response
 comprises:

(a) contacting an inactive pro form or convertase-activated form of
 an **integrin** alpha subunit, **metalloprotease MT1**
-MMP and a candidate agent, under conditions which promote
 increased activation of the **integrin** subunit; and

(b) correlating inhibition of increased activation with ability of
 the agent to inhibit angiogenesis.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
 following:

(1) treating a patient suffering from a pathological condition in
 which angiogenesis is partially a causative or perpetuating factor,
 comprising administering an agent capable of inhibiting an increase in
 activation of an inactive pro form or convertase-activated form of an
integrin alpha subunit by **MT1-MMP**
metalloprotease;

(2) treating a patient suffering from a pathological condition in
 which angiogenesis is partially a causative or perpetuating factor,
 comprising administering an agent that specifically inhibits activation of
 a pro form of **integrin** alpha subunit alpha 3, alpha 4, alpha 5,
 alpha 5, alpha 7, alpha 8, alpha 9, alpha 2b, alpha E or more preferably
 alpha V.

ACTIVITY - Cytostatic; Ophthalmological; Circulatory.

MECHANISM OF ACTION - Antiangiogenic; Activation of a pro form of an
integrin alpha subunit inhibitor; **MT1-MMP**
metalloprotease inhibitor. No biological data is given.

USE - The method is used to screen for agents which inhibit an
 angiogenic response, and the agents are used in the treatment of
 associated diseases (claimed) including cancer, macular degeneration and
 retinopathies (disclosed).

Dwg.0/9

FS CPI

FA AB; DCN

MC CPI: B04-E12; B04-F0100E; B04-H21; B04-H2100E;
 B04-L05C; B04-L05C0E; B11-C08D1; B11-C08D2; B12-K04E;
 B14-D07C; B14-F02; B14-F02F2; B14-H01; B14-N03;

D05-H09

TECH

UPTX: 20030121

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Method: Correlation is accomplished by observing a difference in migration of the activated form versus the inactive form in electrophoresis or chromatography. Alternatively correlation is achieved using a reporter gene and detection of the presence or absence of reporter gene product indicates inhibition of an increase in alpha subunit activation. Preferably the MMT1-MMP and pro form of the **integrin** alpha subunit are recombinantly expressed within the same cell and the agent is contacted within the cell. Activation of the alpha subunit is accomplished by cleavage of the pro form or a change in glycosylation.

ABEX

UPTX: 20030121

ADMINISTRATION - Administration is by injection directly into a tumor or joint, by intraocular implant, or by direct injection into the eye. No specific dosage is given.

EXAMPLE - None given.

L74 ANSWER 3 OF 4 WPIX COPYRIGHT 2004 THOMSON DERWENT on STN

AN 2002-171995 [22] WPIX

DNC C2002-053302

TI Identifying alpha v-beta 3 **integrin** inhibitor or enhancer, comprises contacting superactivated alpha v-beta 3 **integrin** with one or more molecules and determining reduced or enhanced **integrin** activity.

DC B04 D16

IN DERYUGINA, E I; STRONGIN, A Y

PA (DERY-I) DERYUGINA E I; (STRO-I) STRONGIN A Y; (BURN-N) BURNHAM INST

CYC 96

PI WO 2002008280 A2 20020131 (200222)* EN 84 C07K014-47

RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ
NL OA PT SD SE SL SZ TR TZ UG ZW

W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU
SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW

US 2002025510 A1 20020228 (200222) C12Q001-00 <--

AU 2001082977 A 20020205 (200236) C07K014-47

ADT WO 2002008280 A2 WO 2001-US23514 20010726; US 2002025510 A1 Provisional US
2000-220706P 20000726, US 2001-916658 20010726; AU 2001082977 A AU
2001-82977 20010726

FDT AU 2001082977 A Based on WO 2002008280

PRAI US 2000-220706P 20000726; US 2001-916658 20010726

IC ICM C07K014-47; C12Q001-00

ICS C12N009-64; C12Q001-68

AB WO 200208280 A UPAB: 20020409

NOVELTY - Identifying an inhibitor or enhancer of alpha v beta 3 activity comprising contacting superactivated alpha v beta 3 **integrin** with one or more molecules, assaying alpha v beta 3 activity, where reduced or enhanced alpha v beta 3 activity identifies an alpha v beta 3 inhibitor and enhancer, respectively, is new.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a superactivated beta 3 variant, comprising substantially the amino acid sequence of a beta 3 subunit with a threonine analog at position 69 and a glutamine analog at the position 70, where when expressed together with an alpha v subunit, the beta 3 variant forms superactivated alpha v beta 3 **integrin** in the absence of membrane type-1 (MT1)-matrix metalloproteinase (MMP).

ACTIVITY - Cytostatic.

MECHANISM OF ACTION - alpha v- beta 3 **integrin** antagonist;
alpha v- beta 3 **integrin** agonist. Experimental protocols were described but no results were given.

USE - The method is useful for identifying alpha v beta 3 inhibitors or enhancers which can be used in molecular medicine, anti-cancer and tissue regeneration therapeutics.

Dwg.0/13

FS CPI

FA AB; DCN

MC CPI: B04-C01G; B04-F02A; B04-G01; B04-N02A; B04-N06; B11-C08E;
B12-K04A; B12-K04E; B14-H01; D05-H09;
D05-H11; D05-H14B2

TECH UPTX: 20020409

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Method: The alpha-v-beta-3 integrin activity is either reduced or enhanced. The superactivated alpha-v-beta-3 integrin is expressed on a cell, which is a tumor cell or an immortalized cell, preferably an MCF-7 (undefined) breast carcinoma cell. The cell is transfected with a beta-3 encoding nucleic acid molecule and an MT1-MMP encoding nucleic acid molecule, where beta-3 has a fully defined sequence of 788 amino acids as given in the specification, and the MT1-MMP has a fully defined 582 amino acid sequence as given in the specification. The cell may alternatively be transfected with a nucleic acid molecule encoding a superactivated beta-3 variant having a fully defined 788 amino acid sequence as given in the specification. The alpha-v-beta-3 integrin activity is cell adhesion activity selected from a vitronectin-binding activity, a fibronectin-binding activity, or adhesion to a function blocking alpha-v-beta-3-specific antibody.
Preferred Variant: The superactivated beta-3 variant comprises a threonine at position 69 and a glutamine at position 70, and has a fully defined sequence of 788 amino acids as given in the specification.

L74 ANSWER 4 OF 4 WPIX COPYRIGHT 2004 THOMSON DERWENT on STN

AN 2001-656962 [75] WPIX

DNC C2001-193302

TI New antibodies useful for treating growth and proliferative disorders involving angiogenesis such as cancer and tumor, comprise antibodies specific to the epitope of dipeptidyl peptidase IV.

DC B04 D16

IN CHEN, W

PA (UYN) UNIV NEW YORK STATE RES FOUND; (CHEN-I) CHEN W; (UYN) UNIV NEW YORK STATE

CYC 96

PI WO 2001074299 A2 20011011 (200175)* EN 77 A61K000-00
RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ
NL OA PT SD SE SL SZ TR TZ UG ZW
W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
DM DZ EE ES FI GB GD GE GH GR HR HU ID IL IN IS JP KE KG KP KR KZ
LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD
SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
AU 2001056975 A 20011015 (200209) A61K000-00
US 2002132979 A1 20020919 (200264) C07K001-00
US 6573096 B1 20030603 (200339) C12N005-00
JP 2004500116 W 20040108 (200410) 116 C12N015-02
EP 1408908 A2 20040421 (200427) EN A61K006-00
R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
RO SE SI TR

ADT WO 2001074299 A2 WO 2001-US10735 20010330; AU 2001056975 A AU 2001-56975 20010330; US 2002132979 A1 Provisional US 2000-193987P 20000401, CIP of US 2000-541785 20000403, US 2001-823277 20010330; US 6573096 B1 Provisional US 2000-193987P 20000401, US 2000-541785 20000403; JP 2004500116 W JP 2001-572045 20010330, WO 2001-US10735 20010330; EP 1408908 A2 EP 2001-930438 20010330, WO 2001-US10735 20010330

FDT AU 2001056975 A Based on WO 2001074299; JP 2004500116 W Based on WO 2001074299; EP 1408908 A2 Based on WO 2001074299

PRAI US 2000-541785 20000403; US 2000-193987P 20000401;
US 2001-823277 20010330

IC ICM A61K000-00; A61K006-00; C07K001-00; C12N005-00; C12N015-02
ICS A61K039-395; A61K045-00; A61P003-10; A61P009-00; A61P009-10;
A61P009-14; A61P017-02; A61P035-04; A61P043-00; C07K014-00;
C07K016-40; C07K017-00; C07K019-00; C12N005-10

AB WO 200174299 A UPAB: 20021031

NOVELTY - A monospecific antibody (I) which specifically binds an epitope of a mammalian serine integral membrane protease, dipeptidyl peptidase IV (DPPIV) (also known as CD26), is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

(1) a bispecific antibody (II) with binding specificity for a first epitope and a second epitope, where the first epitope is the epitope bound by (I);

(2) an immunoconjugate (III) comprising (I) or (II) joined to a therapeutic agent;

(3) a pharmaceutical composition (IV) for inhibiting angiogenesis comprising (I), (II) or (III) and a pharmaceutically acceptable carrier;

(4) a continuous cell line (V) producing (I); and

(5) stimulating (M1) angiogenesis in a mammal suffering from disease or disorder that may be remedied by an increased blood supply, comprising administering DPPIV modulator, where the blood supply to the affected tissue is increased.

ACTIVITY - Antitumor; Cytostatic; Cardiant; Antidiabetic; Antiulcer; Ophthalmological; Vulnerary. Human breast carcinoma cell line MDA-MB-436 (seprase+DPPIV) and human malignant melanoma cell line LOX (seprase+DPPIV-) were transformed with a retrovirus vector for lacZ tag as described Kern et al., 1994 and 0.5 multiply 106 of these cells were subcutaneously injected into 6-8 week-old female athymic mice. Antibodies or inhibitors were subcutaneously co-inoculated orthotopically with human cancer cells (seprase+DPPIV+ and seprase+DPPIV-), followed by intravenous injection into the tail vein with 250 μ g of the mAb E19, E26 or E3 (anti-DPPIV). Mice were maintained for 2-3 months or until primary tumor reaching 2 cm in diameter, after which the primary tumor and selected organs (lung and liver) were assayed for beta -galactosidase activity. The morphological examination of the established tumors and lung metastases revealed that invasion and metastasis of human cancer cells into mouse tissue had occurred.

MECHANISM OF ACTION - Angiogenesis inhibitor; DPPIV modulator (stimulator) (claimed); seprase-DPPIV antagonist. No biological data was provided.

USE - (I), (II), (III) or (IV) is useful for treating a patient suffering from a growth or proliferative disorder involving angiogenesis, preferably in combination with chemotherapy regimen (claimed). (I) is useful for inhibiting (M2) cancer invasion and angiogenesis in a solid tumor which is metastasized in a patient preferably human where cells of normal tissues do not express levels of DPPIV-seprase complex detected by immunohistochemistry. The method comprises administering a composition comprising (I) to the patient where DPPIV-seprase complex expressed on surface of vascular endothelial cells and invading cancer cells involved in the cancer invasion and angiogenesis, is contacted by (I) which inhibits binding of collagen to the complex, resulting in inhibition of cancer invasion and limiting the blood supply to the tissue of the solid tumor. The method is conducted preferably in conjugation with chemotherapy or with administration of a cytotoxin conjugate (claimed). (M1) is useful for stimulating angiogenesis in a mammal suffering from disease or disorder such as cardiovascular disease, a diabetic ulcer, retinopathy or a non-healing wound, that may be remedied by an increased blood supply (claimed).

Dwg.0/9

FS

CPI

FA

AB; DCN

MC CPI: B04-F05; B04-G03; B04-G21; B04-G22; B04-L01; B04-L05C; B14-E08;
B14-F01; B14-F02; B14-H01; B14-N03; B14-N17B; B14-S04; D05-C03C;
D05-H11A; D05-H14B2; D05-H17C1

TECH UPTX: 20011220

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Antibody: (I) is preferably monoclonal or polyclonal. (I) preferably inhibits angiogenesis, where (I) is an antibody or antibody binding fragment that specifically binds to epitope bound by either of anti-DPPIV antibodies E19 or E26, where antigen binding fragment is from F(ab')₂, F(ab') and Fv. The mammalian DPPIV is preferably human DPPIV. (I) is preferably a chimeric antibody which is humanized. The second epitope of (II) is an epitope of seprase, **MT1-MMP**, **MMP-2** or an alpha(3)beta(1)-**integrin**. Preferred Immunoconjugate: (I) comprised in (III) is preferably monoclonal single chain antibody which includes antibody E19 and E26, and therefore (III) is specific to epitope bound by the antibodies. The therapeutic agent is an anti-tumor drug, a cytotoxin, a radioactive agent, a photosensitizer, a second antibody or an enzyme. Preferred Cell Line: In (V), (I) specifically binds to the epitope recognized by monoclonal antibody E3 or F4, which is E19 or E26.

ABEX UPTX: 20011220

WIDER DISCLOSURE - Disclosed as new are the following:

- (A) a membrane protease complex, consisting of two homodimers of seprase and DPPIV, initially obtained from human placental capillary endothelial membranes; and
- (B) inhibiting capillary sprouting in human cancer.

SPECIFIC ANTIBODIES - Monoclonal antibody of DPPIV is an IgG.2a (claimed).

SPECIFIC HYBRIDOMAS - (V) is E19 hybridoma or E26 hybridoma (claimed).

ADMINISTRATION - Administration of (I) in (M2) is through intravenous, transdermal, intramuscular, oral routes. Dosage of in (M2) is 0.1-300 mg/kg (claimed).

EXAMPLE - The seprase-DPPIV complex had been isolated from human placenta, and antibodies were produced as described Pineiro-Sanchez et al., 1997. The monoclonal antibodies E26, E19, E3 and F4 reacted with DPPIV of the seprase-DPPIV complex, and are not immunoreactive with the seprase subunit or with serine integral membrane proteinases (SIMPs). The antibodies produced were further characterized and were found to have following characteristics: (i) the antibodies specifically bind to the invadopodia of invasive cells grown in collagen or on fibronectin films. (ii) the antibodies antibody fragments fail to react with non-invasive human carcinoma cells grown in collagen or on fibronectin films. (iii) the antibodies antibody fragments bind weakly to differentiated human endothelial cells in collagen or matrix gels and more strongly to sprouting human endothelial cells in collagen or matrix cells, (iv) the antibodies antibody fragments bind weakly with connective tissue cells and more strongly with these induced by wounding, (v) the antibodies antibody fragments block the interaction of collagen matrix with reactive human cells and inhibit the collagen degradation by such cells and (vi) the antibodies or antibody fragments react readily with the catalytic or substrate binding domains of DPPIV and of the seprase-DPPIV complex.

=> d his

(FILE 'HOME' ENTERED AT 13:18:39 ON 08 JUN 2004)
SET COST OFF

FILE 'HCAPLUS' ENTERED AT 13:19:06 ON 08 JUN 2004

L1 772 S (MMP OR ?METALLOPROTEINASE? OR ?METALLOPROTEASE?) (S) (MT1 OR M
L2 551 S ?METALLO?(S) (?PROTEINASE? OR ?PROTEASE?) (S) (MT1 OR MT 1)

L3 772 S L1,L2

FILE 'REGISTRY' ENTERED AT 13:20:12 ON 08 JUN 2004

L4 1 S 161384-17-4

FILE 'HCAPLUS' ENTERED AT 13:20:34 ON 08 JUN 2004

L5 951 S L4

L6 997 S MT MMP1 OR MT1 MMP OR MMP 14 OR MATRIX() (METALLOPROTEASE OR M

L7 313 S MEMBRANE TYPE 1 MATRIX () (METALLOPROTEASE OR METALLOPROTEINAS

L8 103 S MEMBRANE TYPE MATRIX () (METALLOPROTEASE OR METALLOPROTEINASE)

L9 1129 S L3,L5-L8

L10 63 S MATRIX (L) METALLO (L) (PROTEINASE OR PROTEASE) (L) (MT1 OR M

L11 1134 S L9,L10

L12 104 S L11 AND INTEGRIN

E INTEGRIN/CT

L13 1784 S E47

L14 2446 S E59

L15 44 S L11 AND L13,L14

L16 104 S L12,L15

E INTEGRINS/CT

E E3+AL

E E3+ALL

L17 0 S L11 AND E7,E6,

L18 94 S L11 AND E6+NT,PFT

L19 106 S L16,L18

L20 12 S L19 AND SCREEN?

E DRUG SCREENING/CT

L21 7 S E3+OLD,NT,PFT AND L19

L22 0 S E4,E5 AND L19

E E3+ALL

L23 0 S E12+OLD,NT,PFT AND L19

L24 0 S E14+OLD,NT,PFT AND L19

E SCREENING/CW

L25 7 S E3 AND L19

L26 12 S L20,L21,L25

L27 17 S L19 AND ?ANGIOGEN?

L28 4 S L26 AND L27

E ANGIOGENESIS/CT

L29 13 S E3+OLD,NT,PFT AND L19

E E3+ALL

L30 6 S E12+OLD,NT,PFT AND L19

E E1+ALL

E E11+ALL

L31 3 S E4 AND L19

L32 21 S L27,L29-L31

L33 6 S L26 AND L32

L34 6 S L28,L33

SEL DN AN 3 4

L35 2 S L34 AND E1-E6

L36 21 S L20-L32 NOT L34

L37 56 S L19 AND (PD<=20010404 OR PRD<=20010404 OR AD<=20010404)

E BACIU P/AU

L38 3 S E4-E8 AND L19

E ZHANG H/AU

L39 0 S E3-E27 AND L19

E ZHANG HEY/AU

L40 2 S E6 AND L19

E MANUEL V/AU

L41 1 S E8 AND L19

E ALLERGAN/PA,CS

L42 2 S E3,E4 AND L19

L43 1 S US20030171271/PN OR (WO2002-US10501 OR US2001-281512#)/AP,PRN

L44 3 S L38-L43

L45 4 S L35,L44
 L46 54 S L37 NOT L45
 L47 47 S L46 AND L5
 L48 7 S L46 NOT L47
 SEL DN AN L47 2 13 18 20 21 23 24 30 32 34 37 39 41 43 44 45 47
 L49 17 S E1-E51 AND L47
 L50 21 S L45,L49 AND L1-L3,L5-L49
 L51 21 S L50 AND (?CLON? OR ?RECOMBIN? OR ?CHIMER? OR ?CLEAV? OR PROFO
 L52 21 S L51 AND (?PROTEASE? OR ?PROTEINASE? OR ?METALLO? OR MATRIX OR
 L53 3 S L52 AND L38-L44
 L54 18 S L52 NOT L53

FILE 'REGISTRY' ENTERED AT 13:59:22 ON 08 JUN 2004

FILE 'HCAPLUS' ENTERED AT 13:59:32 ON 08 JUN 2004

FILE 'BIOSIS' ENTERED AT 14:00:41 ON 08 JUN 2004

E BACIU P/AU
 L55 27 S E3-E7
 E ZHANG H/AU
 L56 1864 S E3-E27
 E ZHANG HE/AU
 L57 38 S E3
 L58 4 S E57
 E MANUEL V/AU
 L59 1933 S L55-L***
 L60 16 S L59 AND INTEGRIN
 L61 4 S L59 AND L11
 L62 2 S L61 AND IOVS?/SO
 L63 2 S L60 AND L62
 L64 12 S L60 NOT L61,L62

FILE 'BIOSIS' ENTERED AT 14:04:31 ON 08 JUN 2004

FILE 'WPIX' ENTERED AT 14:05:03 ON 08 JUN 2004

L65 79 S L1/BIX OR L2/BIX OR L6/BIX OR L7/BIX OR L8/BIX OR L10/BIX
 L66 1466 S (B04-H21? OR C04-H21?)/MC OR INTEGRIN?/BIX
 L67 6 S L65 AND L66
 L68 1 S L67 AND G01N033/IC,ICM,ICS,ICA,ICI
 L69 2 S L67 AND C12Q/IC,ICM,ICS,ICA,ICI
 L70 1 S L67 AND (B14-D07C? OR C14-D07C? OR B12-G01B3 OR C12-G01B3)/MC
 L71 5 S L67 AND (B12-K04? OR C12-K04? OR D05-H09)/MC
 L72 1 S L43
 L73 6 S L67-L72
 SEL DN AN 2 3
 L74 4 S L73 NOT E1-E5

FILE 'WPIX' ENTERED AT 14:18:54 ON 08 JUN 2004

=>